Q
11
.U585p
v. 103

INDEX

(New genera, species, etc., are printed in *italics*. Page numbers of principal entries also in *italics*)

Abbott, R. Tucker; Review of the Atlantic periwinkles *Nodilittorina*, *Echininus*, and *Tectarius*, 449.
abbreviata, Amblyops, 581
Abelater, 601
aberrans, Stilobezzia (Eukraiohelea), 61
Abiphis, 601
abranchiata, Leaena, 209, *325*, 326, 331 (fig.)
Abscus, 601
Acanthomysis, 576, 582
davisi, 582
macropsis, 582
nephrophthalma, 582
pseudomacropsis, 582
sculpta, 582
sp., 582
Acanthus, 601
accidentalis, Colodon, 430
acridens, Hyracodon, 430
Acrostoma, 383
Actenicerus, 600
Actinicola, 188
bicolor, 191
percula, 191
acuminata, Strabala, 125 (fig.), 127, *128*
acuminata, Potamilla, 336
acuta, Pleurocera, 360
Pleurocera (Oxytrema), 360
acutidens, Ictops, *403*, 430
acutifrons, Ampharete, 208, *316*, 319 (fig.)
Amphicteis, 316
acutipennis, Aphanobius, 603
Aphanopenthes, 603
acutus, Melanatractus, 612
Pleurocerus (Oxytrema), 360
adamatornis, 594
adelocera, 601
conspersa, 607
geographica, 617
pyrsolepis, 608
adjidaumo, 433
minimus, 430
Aeloderma, 602
aeluus, Elater, 608
aenigmaticum, Rhopalosoma, 19
Pinchacus, 471
Tapirus, 477, 479, 481, 485
Aeoloderma, 602, 603
Aeolus, 602
Aepinacodon, 434
americanus, 430
Aeronautes melanoleucus, 537, 538
saxatilis saxatilis, 537, 538
aetherodroma, Chaetura spinicauda, 539, 542
affinis, Apis affinis, 544
Flabelligera, 207, *289*, 297 (fig.)
Lophogaster, 577
Lophogaster subglaber, 577
Merycoidodon, 430
africana, Eukraiohelea, 61
Sternaspis scutata, 309
Stilobezzia (Eukraiohelea) 63
agitator, Hapithus, 20, 21, 23, 24, 25, 31
Hapithus agitator, 23
Agonischius altus, 618
ruficollis, 605
Agriodratus, 602
Agriotella, 602
Agriotes (Ectinus) gratiosus, 618
Agryphus schotti, 611
Agrypnus, 602
Aiolus, 602
akallopisos, Amphiprion, 188, *190*, 192
Prochilus, 188, 190
alaskensis, Dendrocoelopsis, 165, 168, 177, *178*, 181 (fig.)
alaskensis, Haploscoloplos, 278, 279
alatum, Chalaraspidum, 577
albicincta, Streptoprocne zonaris, 548
albissima, Phagocata, 165, 167
albitarsis, Ceratopogon, 138
albofasciata, Wetmorella, 441, 442, 443, *446*, 447
albonotatus, Fulvius, 624 (fig.), 627 (fig.), *629* (fig.)
Alectrus, 602
alexandri, Autolytus, 207, 242, 244, 245, *246*
alfa, Bathygenys, 430
alluaudi, Dorygonus, 617
Prolacon, 615
Alloheles, 137
polita, 138
alternata, Syllis, 253, 254
Typosyllis, 253
Altica, 121, 122, 123, 124
ferruginea, 121, 132
scutellaris, 121
testacea, 122
altitalonidus, Apternodus, 430
altus, Agonischius, 618
alutaceus, Hyas coarctatus, 261

alveare, Megare, 364
Pleurocera, 364
amarula, Thiara, 378
Thiara (Thiara), 379
Ambloxus olequaensis, 360
Amblyops abbreviata, 581
Ambrysus, *1*
bispinus, 3 (fig.), *4*, 6
buenoi, 4
cosmius, 6
dilatus, 6
funebris, 1
guttatipennis, 6
hungerfordi, 6
mormon, 3, 4
parviceps, 6
pudicus, 6
punctipollis, 6
signoreti, 6
thermarum, *1*, 3 (fig.)
Two new naucorid bugs of the genus, 1
woodburyi, 3
ambulans, Haltica, 122, 123, 131
Strabala, 125 (fig.), 127, *131*
Amechanus, 101
ferrugineus, 102
fossatus, 103
serratus, 113
americana, Mysidella, 576, 582
Sorocelis, 566
americanus, Aepinacodon, 430
Bothriodon, 430
Lophogaster, 577
Tapir, 479
Tapirus, 476, 477, 479, 480, 481, 485, 488
Amotrypane, *295*
breviata, 205, 208, *295*, 297 (fig.)
amnigena, Eukraiohelea, 61
Ampharete, *315* (key)
acutifrons, 208, *316*, 319 (fig.)
cirrata, 316
gočsi, 208, *317*
gočsi brasnikovi, 317
grubei, 316
sp. (young), 317
trilobata, 316
vega, 208, *315*, 319 (fig.)
Ampharetidae, 208 (table), 212, 314, 315 (key), 319 (figs.)
Amphicteis acutifrons, 316
vega, 315
Amphictenidae, *310*
Amphicynodontinae, *419*, 421 (table), 434
Amphicyoninae, 420
Amphiprion, 187, *188* (key), 192 (table), 196, 200
akallopisos, 188, *190*, 192
arion, 199
bicinctus, 190, 192, 194, 198, *199*
bicolor, 191
bifasciatus, 193
bifasciatus annamensis, 193
boholensis, 198
chrysargyrus, 198
chrysogaster, 189, 192, *193*
chrysopterus, 198
clarckii, 198
de bojer, 198
ephippium, 190, 192, *199*, 201
ephippium chrysopterus, 195
frenatus, 190, 192, 199, *200*
fusciventer, 193
intermedius, 194
japonicus, 198
laticlavius, 188, *193*
macrostoma, 201
mauritiensis, 189, 192, *196*
mccullochi, 201
melanopus, 190, 192, *201*
melanostolus, 198
melanurus, 194
monofasciatus, 199
ocellaris, 194
papuensis, 199
percula, 188, *191*, 192, 193
perideraion, 188, *191*, 192
polymnus, 189, 193, *194*, 197, 198, 200
Review of the Indo-Pacific anemone fishes of the genus, with descriptions of two new species, 187
rosenbergi, 191
rubrocinctus, 199
rüppeli, 199
sebae, 189, 192, *197*
snyderi, 198
tricinctus, 189, 192, *195*, 197
tricolor, 199
trifasciatus, 193
tunicatus, 191
unimaculatus, 193
xanthurus, 190, 192, *198*
Amphitrite, 320, *321* (key)
cincinnata, 327
cirrata, 209, 319 (fig.), *321*
groenlandica, 209, 321, *322*
infundibulum, 340
radiata, 321
robusta, 322
Ampullacera maculata, 385
Ampullarina maculata, 385
Amyadenium, 177, 178
brementi, 177
chattoni, 177
garmieri, 177
vandeli, 177
Anagnota, 560
Anaitides, *236*
groenlandica, 236
analis, Euchone, 209, *339*, 341 (fig.)
Larra, 32
Sabella, 339
Anaplocamus, *363*
Anatomy and relationships of glossy cuckoos of the genera Chrysococcyx, Lampromorpha, and Chalcites, 585–597
Anchastelater, 602
ornatus, 602

Anchastus maximus, 601
Anchialina typica, 580
Anculosa, 362
  dilatata, 363
andecolus, Apus andecolus, 536
andicola, Tapirus, 472
Angitrema, 363
Angulidae, *401*
angulus, Bolboceras, 95, 117
  Bolborhombus, 99 (fig.), 115 (map), *117*, 119
angustata, Stenomicra, *560*
Anischia, 602, 603
  boliviana, 603
  languarioides, 603
annamensis, Amphiprion bifasciatus, 193
annectens, Leptomeryx, 430
annulata, Meronychina, 556
  Microperiscelis, 555, 556
  Myodris, 556
  Notiphila, 552
  Periscelis, 552, *553*, 556
annulatus, *Peritropoides*, 624, *625*, 628
annulipes, Periscelis, 556
Anodonta, 368
anomala, Holmesiella, 580
Anostirus, 604
anta, Tapir, 477, 479, 481
  Tapirus, 481, 485
antarctica, Capitella capitata, 298
  Leaena, 325
  Leaena abranchiata, 325, 326
  Maldane sarsi, 304
antarcticus, Trichobranchus glacialis, 329
antea, Tapirus, 476
antennalis, Ceratolophus, 68
  Ceratopogon, 68
  Hartomyia, 68
  Johannseniella, 68
  Stilobezzia, 59, 60, 61, 68
  Stilobezzia (Stilobezzia), *68*, 73 (fig.), 83
  Trelasus, 618
Anthias bifasciatus, 194
  clarkii, 198
  polymna, 198
  polymnus, 191
Anthomyza, 557
Anthomyzidae, 551, 553, *556*, 557 (key)
anthonyi, Eurycaelon, 362
Anthracotherinae, 434
anticostiensis, Arcteobia, 206, *225*
  Eucranta, 226
  Eupolynoë, 225
  Harmothoë, 225
Antilopidae, *424*
Antimelania, 381, *382*
  costula, 382
  episcopalis, 382
  soriniana, 382
Antinoë, 214, *215*
  badia, 216
  sarsi, 205, 206, *215*
Antinoëlla sarsi, 215
Antoligostethus, 603
  lucidus, 603
antoni, Litorina, 458
anulipes, Tapirus, 480, 481, 484, 485, 486
Aphanobius acutipennis, 603
Aphanopenthes, 603
  acutipennis, 603
Aphrodita cirrhosa, 226
  imbricata, 220
  longa, 230
  minuta, 230
  scabra, 217
aphroditoides, Castalia, 206, *239*, 243 (fig.)
  Nereis, 239
  Psammate, 239
Apis affinis affinis, 544
Aplotarsus, 607
  maritimus, 607
Apternodus, 431, 433
  altitalonidus, 430
  mediaevus, *403*, 430
Apus andecolus andecolus, 536
aquaticus, Scalopus, 404
Archaeolagus sp., 416
Archaeomysis grebnitzkii, 580
Archaeotherium, 433
  crassum, 430
  marshi, 430
  mortoni, 430
  scotti, 430
Arcteobia, 214, *225*
  anticostiensis, 206, *225*
arctica, Aricia, 278
  Boreomysis, 579
  Castalia, 239
  Eteone, 234
  Eulalia, 238
  Nereis, 264
  Nicolea, 322
  Polynoë, 217
  Trophonia, 290, 291
arcticus, Herpyllobius, 221, 223, 227
  Rangifer, *424*
arcuatus, Bolbelasmus, 97, *98*, 99 (fig.), 100, 114 (map)
  Bolboceras, 97, 98
  Kolbeus, 97, 98
Ardynomys, 434
arenarum, Ogmophis, *402*
Arenicola, *300*
  glacialis, 205, 208, *300*, 301 (fig.)
Arenicolidae, 208 (table), 213, *300*, 301 (figs.)
arge, Upeneoides, 518
  Upeneus, 500 (table), 502 (tables), 503, 504 (table), 505 (tables), 506, 507, 508, *518*
argentatus, Pleonomus, 613
Aricia arctica, 278
Ariciidae, 278
arion, Amphiprion, 199
arisanus, Taiwanathous, 617

armatus, Idathyrsus, 205, 208, 301 (fig.), *308*
armiger, Lumbricus, 278
Scoloplos, 207, *278*, 283 (fig.)
armigera, Melania, 363
armillaris, Nereis, 254
Syllis, 254
Arnett, Ross H., Jr.; A review of the beetle family Cephaloidae, 155
Beetles of the oedemerid genus Vasaces Champion, 87
Supplement and corrections of J. A. Hyslop's Genotypes of the elaterid beetles of the world, 599–632
Artiodactyla, 425, 432
Asabellides, 315, *318*
orientalis, 318
sibirica, 208, *318*, 319 (fig.)
Asclerini, 88
Ascoliocerus, 603
asinus, Equus, *423*
aspirans, Melania, 380
Stenomelania, 380
Asteidae, 560
asymmetricus, Upeneus, 500 (table), 501, 502 (tables) 503, 504 (table), 505 (tables), *511*, 512 (table)
Athoina, 603
Athous, 601, 603
hirtus, 615
revelieri, 603
Athyreus ferrugineus, 102
Atoloderma, 603
atra, Doryssa, 367
Atrichopogon, 66
Athyreus (Bradicinetus) ferrugineus, 102
serratus, 113
(Bradicinetus) serratus, 113
Aulacon, 603
Aulacostoma, 375
auratus, Mullus, 528, 529
auriculata, Polycelis, 171, 172
australasiae, Bolboceras, 101
australis, Dennyus, 533, 534, 536, *537*, 540 (fig.), 549
Eucopia, 578, 579
Geckobia, 15
austratica, Patricia, 614
Autolytus, 241, *242*, 245 (key), 249
alexandri, 207, 242, 244, 245, *246*
cornutus, 244, 245, 250, 252
fallax, 205, 207, 242, 244, 246, *247*, 250, 251 (fig.)
incertus, 250
longisetosus, 242, 247, 250
ornatus, 244
prismaticus, 207, 242, 244, 245, 246, 247, *249*, 251 (fig.)
prolifer, 244, 245, 247, 249, 250
trilineatus, 250
verrilli, 246
Aylacostoma, 367, 375, *376*
(Verena) crenocarina, 377, 378
glabrum, 375, 376
(Hemisinus) lineolatum, 376
ruginosum, 377
(Aylacostoma) scalare, 376
tuberculatum, 375, 377
(Longiverena) tuberculatum, 377

baccata, Erotia, 383
badia, Antinoë, 216
bailleti, Oxytrema, 368
bairdi, Elasmognathus, 489
Tapirus, 490
Tapirus (Elasmognathus), 489
bairdii, Elasmognathus, 488, 489
Tapirella, 490
Tapirus, 465, 466, 467, 468, 469, 473, 478, 482 (fig.), 483 (fig.), 488, *489*, 490, 493 (map), 495 (map)
Tapirus (Tapirella), *489*
bakeri, Hypnoidus, 610
Balanocochlis, *381*
glans, 381
balonnensis, Plotiopsis, 378
bandi, Mullus, 516
Banner, Albert H.; A supplement to W. M. Tattersall's Review of the Mysidacea of the United States National Museum, 575
barbata, Eteone, 206, 233
Eteone (Mysta), *233*
Eunoë, 219
Mysta, 233
bartschi, Callocalia inexpectata, 543
basalis, Chalcites, 594
Hypnoidus, 603
Basistoma, 376
Bathanalia, 371, *374*
howesi, 374
bathygenus, Parictis, 421
Bathygenys, 434
alfa, 430
Bdellocephala, 174
beckae, Stilobezzia, 59, 60, 61
Stilobezzia (Stilobezzia), *69*, 72 (fig.), 82
bedeli, Blaiseus, 604
beetle family Cephaloidae, A review of the, 155
beetles, Chrysomelid, of the genus Strabala Chevrolat, 121
Of the oedemerid genus Vasaces Champion, 87
Scarabaeid, of the genus Bradycinetulus, and closely related genera in the United States, 95
Beezia stecki, 138
behnii, Hemisinus, 375
belaque, Upeneoides, 513
Bembiciidae, 462
Bembicium, 462
bensasi, Mullus, 509
Upeneus, 500 (table), 501, 502 (tables), 503, 504 (table,) 506 (tables), 506, 508, *509*, 511 (table)
Berger, Andrew J.; On the anatomy and relationships of glossy cuckoos of the genera Chrysococcyx, Lampromorpha, and Chalcites, 585–597

Betarmon, 603
quadrivittatus, 611
Betarmou, 603
bilkaniensis, Photuris, *36*
Bezzia elegantulus, 62
bicinctus, Amphiprion, 190, 192, 194, 198, *199*
bicolor, Actinicola, 191
Amphiprion, 191
Cephaloon, 157 (map), 159, 160
Stilobezzia, 59, 60, 61, 71
Stilobezzia (Stilobezzia), *71*, 72 (fig.)
bifasciata, Wetmorella philippina, 440, *441*, 442 (fig.), 443
bifasciatus, Amphiprion, 193
Anthias, 194
Prochilus, 193, 194
bigeminatus, Elater, 602
bilineatus, Cosmesus, 601
birmanicus, Megapenthes, 619
bisbistillatus, Fulvius, 627 (fig.), 631
bispinus, Ambrysus, 3 (fig.), *4*, 6
bitaeniatus, Upeneus, 516
bivittatus, Upeneus, 513
Blaberus craniifer, 46
Blaiseus, 604
bedeli, 604
Blake, Doris Holmes; The chrysomelid beetles of the genus Strabala Chevrolat, 121
Blatta, 41
livens, 40, 41
livida, 40, 41
maderae, 45
surinamensis, 45
Blattella, 53
blomstrandi, Eusyllis, 207, 243 (fig.), *260*
boholensis, Amphiprion, 198
Boidae, *402*
Boibelasmus, 95, *97* (key)
arcuatus, 97, *98*, 99 (fig.), 100, 114 (map)
galicus, 97, 99 (fig.)
hornii, 97, 98, 99 (fig.), *100*, 115 (map)
minor, 97, 98, 99 (fig.), *100*, 115 (map)
unicorne, 97
Bolboceras, 95, 96, 101
angulus, 95, 117
arcuatus, 97, 98
australasiae, 101
coreanus, 97
ferrugineus, 102
(Amechamus) ferrugineus, 102
fossatus, 103
(Amechamus) fossatus, 103
hornii, 100
lecontei, 102
minor, 100
quadridens, 101
schaefferi, 117, 119
(Amechamus) serratus, 113
serratus peninsularis, 116
Bolbocerastes, 95, 97, 99 (figs.), *105* (key), 113
imperialis, 99 (fig.), 106, *109*, 112, 113, 114 (map), 116
imperialis kansanus, 106, *112*, 115 (map)
peninsularis, 98 (fig.), 105, 112, 114 (map), *116*
regalis, 99 (fig.), 105, *106*, 109, 112, 115 (map)
serratus, 99 (fig.), 106, 107, 108, 109, 112, *113*, 115 (map)
Bolboceratini, 96 (key)
Bolbocerosoma, 95, 96
Bolborhombus, 95, 97, 99 (figs.), *116*, 117 (key)
angulus, 99 (fig.), 115 (map), *117*, 119
parvul, 99 (fig.), 115 (map), 117, *118*, 119
schaefferi, 99 (fig.), 114 (map), 117, *119*
boliviana, Anischia, 603
Boltenia echinata, 276
borealis, Polycelis, *168*, 171 (fig.), 172, 182
borealis, Micropternodus, 430
Mystides, 206, *232*, 237 (fig.)
Nicomache lumbricalis, 305
Petaloproctus tenuis, 306, 307
Boreomysinae, 576
Boreomysis, 579, 580
arctica, 579
californica, 579
kincaidi, 577, 580
microps, 576, 579
tregonboffi, 579
tridens, 579
Bos depressicornis, *424*
frontalis, *424*
gaurus, *424*
indicus, *424*
Bothriodon, 433
americanus, 430
Bothriodontidae, 432
Bourguignatia, *372*
imperialis, 372
Bovidae, *424*
brachycephala, Nephthys, 271, 272
Polydora, 280, 281
Brachyfulvius, *621*
chapini, *622*, 623 (fig.), 626 (fig.)
Brachygonus, 604
megerlei, 604
brachyodon, Megalagus, *416*, 430
brachyura, Chaetura brachyura, 544
Brada, 288, *290* (key)
granosa, 292
granulata, 290, 292
inhabilis, 207, 290, *292*, 297 (fig.)
pilosa, 290, 291
rugosa, 290, 291, 292
setosa, 290, 291
sublaevis, 292
villosa, 205, 207, *290*
Bradycellus, 101

Bradycinetulus, 95, 96, 97, 99 (figs.), *101*, 102 (key)
ferrugineus, 96, 99 (fig.), *102*, 103, 104, 105, 115 (map)
fossator, 103
fossatus, 99 (fig.), 102, *103*, 105, 114 (map)
hornii, 100
rex, 99 (fig.), 102, *103*, 114 (map)
Scarabaeid beetles of the genus, 95
serratus, 113
Bradycinetus, 95, 101
carinatus, 117, 119
ferrugineus, 102
fossatus, 103
hornii, 95, 97, 100
minor, 95, 97, 100
serratus, 113
serratus peninsularis, 116
brahminus, Drasterius, 615
Brania sp., 256
brasiliensis, Mallerius, 612
Monohelea, 137, 145
Monohelea (Monohelea), *145*
Tapirus, 481, 485
Tapirus pinchaque, 479
Tapirus roulinii, 479
braznikovi, Ampharete gošsi, 317
brementi, Amyadenium, 177
Dendrocoelopsis, 178
breviata, Ammotrypane, 205, 208, *295*, 297 (fig.)
brevicapitis, Dennyus, 535, 540 (fig.), *544*
brevicauda, Scalibregma, 293, 294
Brevicerus, 604
cylindricus, 604
brevicollis, Creoleptus, 605
brevicoma, Cistenides, 312
Pectinaria, 312
Pectinaria (Cistenaria), 312
brevipennis, Hapithus, 24, 25
brevis, Cubaedomus, 376
Travisia, 298
Brontotherioides, *423*, 432, 433
Brotella, 383
Brotia, 381, *382*, 387
baccata, 383
pagodula, 382
bruneri, Dennyus, 533, 534, 536, 537, *538*, 540 (fig.), 542
Nitzschia, 538
brunneitorques, Dennyus, 535, 541 (fig.), *548*
brunneitorques, Chaetura rutila, 548
Bruyantius, 604
capensis, 604
buenoi, Ambrysus, 4
Buffeventius, 604
lividus, 604
bulbosa, Oxytrema, 361
bulla, Stilobezzia, 59, 61, 74, 83, 84
Stilobezzia (Stilobezzia), 73 (fig.) *74*, 84
burkei, Paleolagus, *415*
buxroni, Roggeveenia, 616
Bythoceras, *373*
iridescens, 373
caballus, Equus, *423*
Cacomantis, 586
Cadiohypnus, 604
caeca, Nephthys, 270
Nereis, 270
Caenopus, *424*, 432
mitis, *425*, 430
caerulea, Coua, 586
caeruleus, Upeneoides, 516
Caesaromysides liguriae, 557, 581
Caesaromysis, 581
sp., 577
vanclevei, 577, 581
Calamagras sp., 402
californica, Boreomysis, 579
Eteone, 234
Calliostoma, 458
Callocalia inexpectata bartschi, 543
sp., 543
Calostirus, 604
cambodiensis, Corymbites, 618
Camelidae, *426*, 433
Campsosdernus, 604
Campsosternus, 604
Campsosternus, 604
camtschatica, Paralithodes, 224
cancellata, Thiara, 378, *379*
Thiara (Setaeara), 379
candezei, Mopleonus, 613
Candezella, 604
horvathi, 604
Canidae, *416*, 420, 423
Caninae, 420
Canis latrans, *423*
nubilus, *423*
canorus, Cuculus, 586
Canyon Ferry Reservoir area, Preliminary analysis of the fossil vertebrates of, 395
capensis, Bruyantius, 604
Cardiotarsus, 605
Longithorax, 581
capitata, Capitella, 208, 297 (fig.), *298*
Glycera, 207, *272*, 277 (fig.)
capitatus, Lumbricus, 298
Capitella, *298*
capitata, 208, 297 (fig.), *298*
capitata antarctica, 298
giardi, 299
Capitellidae, 208 (table), 213, 297 (figs.), *298*
Capitellides, 299
caprius, Lampromorpha, 585, 586, 587, 588, 589, 590, 591, 592, 593 (fig.), 595
capsula habei, Littorina, 450
Cardiohpynus, 604
Cardiohypnus, 604
mirabilis, 604
Cardiophorus, 605
florentini, 615
schusteri, 611
vitalisi, 613

Cardiotarsus, 605
capensis, 605
Cariblatta sp., 43
caribou, Rangifer, *424*
carinata, Mudalia, 361
Nicomache, 305
carinatus, Bradycinetus, 117, 119
carnea, Travisia, 205, 208, *296*, 297 (fig.)
Carnivora, *416*, *432*
Cartwright, O. L.; Scarabaeid beetles of the genus Bradycinetulus and closely related genera in the United States, 95
Carriker, M. A., Jr.; Studies in Neotropical Mallophaga, XI; Bird lice of the suborder Amblycera, genus Dennyus Neumann, 533
Carvalho, José C. M.; Neotropical Miridae, LXIV; New bugs of the subfamily Cylapinae (Hemiptera), 621
Castalia, *239*
aphroditoides, 206, *239*, 243 (fig.)
arctica, 239
fabricii, 239
multipapillata, 239
castaneus, Fulvius, 627 (fig.), 629 (fig.), *630*
Castoridae, *408*
Catelanus, 605
catenaria, Oxytrema, 360
Cattleya sp., 632
speciosissima, 632
caudacutus, Hirundapis caudacutus, 543
caulleryi, Polydora, 207, *280*, 281, 283 (fig.)
cavernicola, Phagocata, *563*, 565 (fig.)
Cavicoxum, 605
monstrosum, 605
cecillei, Litorina, 456
celebensis, Chesotraxus, 605
celer, Mesohippus, 430
Cenchrites, *462*
Cephalaon, 158
Cephaloidae, 155, *156*, 157 (map), 158, 159 (key)
A review of the beetle family, 155
Cephaloon, 155, 156, *158*, 160 (key)
bicolor, 157 (map), 159, 160
lepturides, 156, 157 (map), 158, 160
pacificum, 157 (map), 159, 160
pallens, 157 (map), 158, 160, *161*
pallens cinctipennie, 161
pallens koltzei, 161
pallens maculicolle, 161
pallens picticolle, 161
sakurae, 161
tenuicorne, 157 (map), 158, 160
ungulare, 157 (map), 158, 159, 160
vandykei, 157 (map), 160
variabile, 158
variabilis, 157 (map), 158, 159, *161*
variabilis tristiculus, 161
cephus, Scarabaeus, 101
Ceratolophus antennalis, 68
diversus, 76
copiosus, 138
leucopeza, 138
nebulosus, 151
politus, 138
viridis, 84
Ceratopogon albitarsis, 138
antennalis, 68
copiosus, 137, 138
diversus, 76
leucopeza, 138
maculipennis, 135, 140
nebulosa, 135
nebulosus, 151
ochraceus, 63
pictus, 75
politus, 138
sequax, 135
viridis, 84
Cercimelania, 366
Cerithiidae, 357, 358
Ceroleptus, 605
brevicollis, 605
Ceropectus, 605
Cervidae, *423*
chadronensis, Hypertragulus, 430
Chaetosyllis, 241, 252, 253, 255
oerstedi, 253
Chaetozone, 286, *287*
setosa, 207, *287*, 297 (fig.)
Chaetura brachyura brachyura, 544
chapmani viridipennis, 545
griseiventris, 539
griseiventris phaeopygus, 539
pelagica, 537
richmondi, 537
rutila brunneitorques, 548
spinicauda aetherodroma, 539, 542
spinicauda fumosa, 539, 542
spinicauda spinicauda, 542
Chalaraspidum alatum, 577
Chalcites, 585, 589, 590, 591, 592, 593
basalis, 594
lucidus, 586, 587, 591, 592, 594, 595
Chalcites-Chrysococcyx group, 594
Chalcococcyx, 585, 586
Chalcolepidinus, 605
Chalcolepidius, 605
challengeri, Lophogaster, 577
chalybea, Progne chalybea, 549
chapini, *Brachyfulvius*, *622*, 623 (fig.), 626 (fig.)
chapmani, Panamenia, 555
Scutops, 556
Chatanayus, 605
chattoni, Amyadenium, 177
Dendrocoelopsis, 178
Cheilinus, 439
fasciatus, 439
chelonyx, Mesoreodon, *425*
Chesotraxus, 605
celebensis, 605
Chiagosnius, 605
chinensis, Melanoides, 380

Chloraemidae, 288
Chone, 334, *337*, 338 (key)
dunéri, 209, 338, *339*, 341 (fig.)
gracilis, 338
infundibuliformis, 209, *338*, 341 (fig.)
chopardi, Ectobius livens, 44
Chorisoneura texensis, 42
chrysargyrus, Amphiprion, 198
Chrysis sp., 32
Chrysococcyx, 585, 589, 590, 591, 592, 594, 595
cupreus, 585, 586, 587, 588 (fig.), 589 (fig.), 590, 591, 592, 594, 595
flavigularis, 593
chrysogaster, Amphiprion, 189, 192, *193*
chrysopterus, Amphiprion, 198
Amphiprion ephippium, 195
Chusquea, 475
ciliata, Gattyana, 205, 206, 226, *228*
Nephthys, 268, 270
Nephtys, 207, 267, 269 (fig.), *270*
Nepthys, 270
Nereis, 268, 270
Cinchacus, 469
cincinnata, Amphitrite, 327
cincinnatus, Thelepus, 209, *327*, 331 (fig.)
cinctipennis, Cephaloon pallens, 161
cinerea, Eteone, 234
Nauphoeta, 40, 46, 51
cingulatus, Cirratulus, 286
Colodon, 430
Circeis spirillum, 344
circinnatus, Thelepus, 327
cirrata, Ampharete, 316
Amphitrite, 209, 319 (fig.), *321*
Enipo, 225, 305
Lepidonote, 220
Polynoë, 220
Cirratulidae, 207 (table), 212, *285*, 286 (key), 297 (figs.)
Cirratulus, *286*
cingulatus, 286
cirratus, 207, *286*, 297 (fig.)
robustus, 286
spectabilis, 286
cirratus, Cirratulus, 207, *286*, 297 (fig.)
Lumbricus, 286
cirrhosa, Aphrodita, 226
Gattyana, 227
cirrosa, Gattyana, 206, *226*, 229 (fig.)
Nychia, 226
Cistenides, *311*
brevicoma, 312
granulata, 312
hyperborea, 314
Citellus, 434
citrina, Phyllodoce, 236
Clamator, 594
clarki, Eunoë, 205, 206, 216, *217*
clarckii, Amphiprion, 198
Anthias, 198
Cleniocerus, 606
Clinopternodus, 431, 433
gracilis, 430
Clymene (Praxillella) praetermissa, 309
coarctata, Phagocata, 167
coarctatus, Hyas, 224, 324
Coccyzus, 590, 591, 592
erythropthalmus, 588, 589
cockroaches, Distribution, general bionomics, and recognition characters of, recently established in the United States, 39
coeca, Nephthys, 268
Colaulon, 606
rectangularis, 606
collaris, Typosyllis, 260, 261
Colodon, 432, 433
accidentalis, 430
cingulatus, 430
colombianus, Tapirus terrestris, *486*, 490, 493 (map), 495 (map)
columbiana, Strabala, 125 (fig.), 127, *133*
comalensis, Oxytrema, 360
compacta, Pionosyllis, 205, 207, 241 (fig.), *262*
concinna, Nullarborica, 613
concolor, Felis, *424*, 475
Conobajulus, 606
ugiensis, 606
consanguineus, Photinus, 36
consolidata, Dorssa, 367
conspersa, Adelocera, 607
convexuni, Yezodina, 619
coomani, Heabinh, 610
copiosa, Schizohelea, 138
copiosus, Ceratolophus, 138
Ceratopogon, 137, 138
coquilletti, Stilobezzia, 58, 60, 61, 75
Stilobezzia (Stilobezzia), 72 (fig.), *75*
Coracinus, 194
intermedius, 194
vittatus, 194
Coroovadocola, 622
coreanus, Bolboceras, 97
Coresus, 600, 601, 606
cornuta, Ehlersia, 253
Syllis, 205, 207, 243 (fig.), 252, 254
Syllis (Ehlersia), *253*
cornutus, Autolytus, 244, 245, 250, 252
coronarius, Tectarius, 461
coronata, Lavigeria, 372
Polycelis, 171, 172
corvinus, Pachychilus, 365, 366
Coryleus, 606
desruisseauxi, 606
Corymbites cambodiensis, 618
gratus, 613
sulphuripennis, 616
tenuicornis, 614
tessellatus, 600
Cosmesus, 601
bilineatus, 601
subtilis, 601
cosmius, Ambrysus, 6
costaricensis, Strabala *acuminata*, 125 (fig.), 127, *129*
costatus, Vasaces, 87, 89, *90*

costula, Antimelania, 382
Cous, 590, 595
caerulea, 586
Couroupita guianensis, 491
craniifer, Blaberus, 46
crassa, Eurycaelon, 362
crassicornis, Sabella, 209, 333 (fig.), *334*
crassum, Archaeotherium, 430
Cratonychus, 606
crawfordensis, Hypertragulus, 430
crawshayi, Melanoides, 371
crenocarina, Aylacostoma (Verena), 377, 378
Melania, 377
Cricedon, 412
Criocetidae, *410*
crioctodontoides, Eumys, 410, *411* (fig.)
Cricket parasite of the genus Rhopalosoma, Notes on the biology and immature stages of a, 19
cristata, Eurycaelon, 362
Crotophaga, 590, 595
sulcirostris, 590
crucifer, Elater, 602
cruentus, Hyaenodon, 430
Crypnoidus, 606
Cryptohypnus, 606
micros, 615
Cryptypnus, 606
Csikia, 607
dimatoides, 607
Ctenicera, 600, 607
pupieri, 615
(Malloea) sjaelandica, 600
Ctenicerus, 607
Cteniocerus, 607
Ctenocera, 607
Ctenonychus, 607
Ctenonyphus, 607
Cubaedomus, 366, *376*, 387
brevis, 376
Cuculus, 585, 594
canorus, 586
culbertsoni, Merycoidodon, 425
cumingi, Echininus, 460
Trochus, 458
cumingii, Pachychilus, 366
cupreus, Chrysococcyx, 585, 586, 587, 588 (fig.), 589 (fig.), 590, 591, 592, 594, 595
Curtisius, 607
Cyamops, 551, 555, 556, *557*, 558 (key)
imitata, 558, *559*
nebulosa, *558*
cyaneus, Psephus, 611
Cyclopidius, 426
lullianus, 426
simus, *426*
cyclops, Scarabaeus, 101
Cylapinae, 621, 622
cylindricus, Brevicerus, 604
Lincydrus, 612
Cylindrodon, 431, 433
fontis, 430
Cypseloides fumigatus, 547
cypsiurus, Dennyus, 534, 535
Dactylosimus, 607
dorsalis, 607
dakotensis, Ictops, 430
Parictis, 420, 430
dalli, Pachychilus (Pilsbrychilus), 367
Dalopius, 607, 608
damoni, Paramelania, 371
Danosoma, 607
Daphoenidae, 420
Daphoenocyon, 420, 421, 432, 433
dodgei, *419*, 421 (fig.), 430
Daphoenus, 420
davisi, Acanthomysis, 582
de bojer, Amphiprion, 198
Deinictis, 433
fortis, 430
Delox, 607
Dendrocelopsis spinosipenis, 176
Dendrocoelidae, 174, 568
Dendrocoelopsis, *174*, 176, 177, 178
alaskensis, 165, 168, 177, *178*, 181 (fig.)
brementi, 178
chattoni, 178
garmieri, 178
piriformis, *174*, 177 (fig.), 178, 180
spinosipenis, 177, 178
vaginata, 178
vaginatus, 177
vandeli, 178
Dendrocoelum, 178
nausicaae, 179
Dennyus, 533, *535* (key), 549, 534
australis, 533, 534, 536, *537*, 540 (fig.), 549
brevicapitis, 535, 540 (fig.), *544*
bruneri, 533, 534, 536, 537, *538*, 540 (figs.), 542
brunneitorques, 535, 541 (fig.), *548*
cypsiurus, 534, 535
distinctus, 534, *543*
dubius, 533, 536, *537*, 538, 542
femuralis, 533
francicus, 534, 535
gossei, 534, 536, *543*, 547
hirundinidis, 534, 535
intonsus, 535, 540 (fig.), *545*
latifrons, 533
limbus, 536, 538, 540 (fig.), *542*
major, 534, 535, *543*
meridionalis, 534, 536, *539*, 540 (fig.), 542
minor, 535, *544*
piageti, 533
richmondi, 533, 535, 537
rotundocapitis, 535, 541 (fig.), *548*, 549
similis, 534, 535, 541 (fig.), *549*
spiniger, 533, 535
spininotus, 536, 541 (fig.), *547*
depressa, Eteone, 235
Eunoë, 217, 218
depressicornis, Bos, *424*
descarpentriesi, Practapyrus, 615
deshayesiana, Oxytrema, 361

Desmatolagus, 432, 433, 434
dicei, 430
desruisseauxi, Coryleus, 606
Dexiospira spirillum, 344
Diacanthus, 608
guttatus, 610
Diadelops, 560
dicei, Desmatolagus, 430
Dichonychus, 608
Dicrepidius, 608
Dicronychus, 608
serraticornis, 609
Didelphiade, *402*
Dido, *600*
macrocera, 600
dilatata, Anculosa, 363
Littorina, 451
dilaticollis, Eupsephus, 609
dilatus, Ambrysus, 6
dimatoides, Csikia, 607
Diocarphus, 608
Diopsosoma, 555, 556
prima, 556
Diphyaulon, 608
Diplocœnus, 608
Diploconus, 608
ornatus, 616
spiloderus, 615
Diploptera, 51, 52
discors, Nephthys, 270
Nephtys, 207, 267, 269 (fig.), 270
Discrepeidius, 608
Disonycha, 122, 124, 126
rufa, 122
dispar, Exogone, 207, 243 (fig.), 258, *259*
Heteromeryx, 430
Paedophylax, 259
distinctus, Dennyus, 534, *543*
diversa, Hortomyia, 76
Johannseniella, 76
Stelobezzia, 59, 60, 61, 76
Stilobezzia (Stilobezzia), 73 (fig.), *76*, 79
diversus, Ceratolophus, 76
Ceratopogon, 76
Dodecaceria, 285
dodgei, Daphoenocyon, *419*, 421 (fig.), 430
Dolopus, 608
dolosus, Elastrus, 602
Domenephus, 608
dominicensis, Strabala, 121
Domnina, 431, 432, 433, 434
thompsoni, 430
dorcas, Gazella, *424*
dorsalis, Dactylosimus, 607
dorsofasciata, Palpomyia, 62
Dorygonus alluaudi, 617
Doryssa, *367*, 377
atra, 367
consolidata, 367
Drachylis, 158
dowi, Elasmognathus, 489
Tapirella, 490
Tapirus, 490, 492
dowii, Elasmognathus, 489
Tapirus, 480, 484, 490, 491
Tapirus bairdii, 491
Drachylis simulans, 158, 160
drakei, Pachychilus, 360
Drasterius, 608
brahminus, 615
Dresterius, 608
Drosophilidae, 553
dubius, Dennyus, 533, 536, *537*, 538, 542
Mullus, 498, 515
Nitzschia, 537
Upeneoides, 514
dufourii, Melanopsis, 359
dunéri, Chone, 209, *339*, 341 (fig.)

eburnea, Polycelis, 172
echinata, Boltenia, 276
Echinella, 449, 458, 461
Echininus, 449, 451, 452, 454, 455 (fig.), *458*, 459, *461*
cumingi, 460
nodulosus, 449, 451, 452, 453 (fig.), 454, 455 (fig.), 457 (fig.), *458*
Ectobius, *40*
finoti, 41
lapponicus, 41, 45
livens, 39, *40*, 47 (fig.)
livens chopardi, 44
livens minor, 44
lividus, 40, 41
panzeri, 44
perspicillaris, 41
siculus, 41
sp., 41
ecuadorensis, Tapirus, 479, 481, 485
Edgaria, *372*
paucicostata, 372
Ehlersia cornuta, 253
Elasmognathus, 488
bairdi, 489
bairdii, 488, 489
dowi, 489
dowii, 489
Elastrus dolosus, 602
Elater aeneus, 608
bigeminatus, 602
crucifer, 602
fascicularis, 615
ferrugineus, 612
fulvipes, 612
granulipennis, 618
hirtus, 615
lepidotus, 616
linearis, 609
lineatus, 610
marginatus, 607
megerlei, 604
murinus, 602
nobilis, 601
obesus, 608
obscuripes, 605
obscurus, 606
ovalis, 602
pallidulus, 602
pectinicornis, 606, 607

purpureus, 614
riparius, 606, 610
sjaelandicus, 600
tessellatus, 600
thoracicus, 605
vittatus, 603
Elaterid beetles of the world, Supplement and corrections to J. A. Hyslop's genotypes of the, 599–619
Elateridae, 599
elegans, Eumys, 410
elegantula, Eukraiohelea, 62
Parabezzia, 62
Probezzia, 62
Stilobezzia, 58, 60, 61
Stilobezzia (Eukraiohelea), *62*, 72 (fig.)
elegantulus, Bezzia, 62
Ellipstoma, *363*
gibbosa, 363
zonalis, 363
elongata, Polycelis, 172
elongatus, Vasaces, 89, 91 (fig.), *93*
Emmericia, 386
Emmericiinae, 386
Endieronychus, 609
enigmaticus, Tapirus, 471, 493 (map)
Enipo, 214, *225*
cirrata, 225, 305
gracilis, 206, *225*, 305
Entelodontidae, 432, 435
Eomyidae, *409*, 432
Eotylopus, 433, 434
reedi, 430
Ephamillus, 158, 159
variabilis tristiculus, 161
ephippium, Amphiprion, 190, 192, *199*. 201
Lutjanus, 188, 199
Prochilos, 199
episcopalis, Antimelania, 382
Melania, 382
Equidae, *421*, *423*
Equus asinus, *423*
caballus, *423*
onager, *424*
prezevalskii, *424*
Ereutho smitti, *328*
erinaceus, Sphaerosyllis, 207, 243 (fig.), *255*
erythraeus, Lophogaster, 577
Lophogaster typica, 577
Erythropini, 576
erythropthalmus, Coccyzus, 588, 589
esakiana, Stilobezzia (Eukraiohelea), 61, 62
Espeletia, 475
esperi, Fagotia, 359
esulcatus, Leptomeryx, 426, 427
Eteone, 231, *252*, 233 (key), 237 (fig.)
arctica, 234
barbata, 206, 233
(Mysta) barbata, *253*
californica, 234
cinerea, 234
depressa, 235
flava, 206, 233, *235*, 237 (fig.)
lentigera, 235
longa, 206, 233, *234*, 237 (fig.)
sarsi, 235
sp. (larvae), 236
spetsbergensis, 206, 233, *235*
striata, 233
tuberculata, 234
Eucanthus, 95, 97
Euchaetomera, 580
tenuis, 580
Euchaetomeropois, 580
pacifica, 577, 580
Euchone, 334, *339*
analis, 209, *339*, 341 (fig.)
Eucopia, 578
australis, 578, 579
grimaldii, 579
hanseni, 479
major, 579
sculpticauda, 578
unguiculata, 579
Eucranta anticostiensis, 226
Eudactylus, 618
wapleri, 618
eudendrocoeloides, Polycelis, 172
Eudicrenychus, 609
Eukraiohelea, *61*, 62, 83
africana, 61
amnigena, 61
elegantula, 62
foyi, 61
inusitata, 61
versicolor, 61, 62
Eulalia, 238
arctica, 238
minuta, 238
Eumecomera, 88
Eumida, *238*
minuta, 205, 206, 237 (fig.), *238*
Eumys, *410* (key)
cricetodontoides, 410, *411* (fig.)
elegans, 410
exiguus, 411, *415*
latidens, 411, *412*, 413 (fig.)
spokanensis, 411, *413*, 414 (fig.)
Eunoa nodosa, 217
Eunoë, 214, *216* (key)
barbata, 219
clarki, 205, 206, 216, *217*
depressa, 217, 218
nodosa, 206, 216, *217*, 219, 229 (fig.)
oerstedi, 206, 216, 218, *219*, 229 (fig.)
Eupolynoë anticostiensis, 225
Eupsephus, 609
dilaticollis, 609
eurantron, Polycelis, 172
Eureum, 544
Eurycaelon, *362*
anthonyi, 362
crassa, 362
cristata, 362
Eurycotis floridana, 46

Eusyllis, 242, *259*, 260 (key), 262
blomstrandi, 207, 243 (fig.), *260*
magnifica, 205, 207, 260, *261*
monilicornis, 260
phosphorea, 260, 261
tubifex, 260
Eutypomys, 432, 433
thompsoni, 430
evansi, Leptomeryx, *427* (table)
Evarnella triannulata, 223
excelsus, Tapirus, 468
excisum, Gyrotoma, 361
exiguus, Eumys, 411, *415*
eximium, Poëbrotherium, *426*, 430
Exogone, 242, *257*, 258 (key)
dispar, 207, 243 (fig.), 258, *259*
gemmifera, 258
lourei, 259
naidina, 207, 243 (fig.), *258*
Exophthalmus, 609
expallidus, Nyctor, 613
extenuata, Harmothoë, 206, 220, *222*
Lagisca, 222
Polynoë, 222

Fabricia sabella, 299
fabricii, Castalia, 239
Sabella, 334
Fagotia esperi, 359
fairchildi, Photuris, 37
fairmairei, Medonia, 616
fallax, Autolytus, 205, 207, 242, 244, 246, *247*, 250, 251 (fig.)
farctus, Scarabaeus, 101
fasciata, Syllis, 205, 207, 243 (fig.)
Syllis (Typosyllis), *254*
fasciatus, Cheilinus, 439
fascicularis, Elater, 615
fasciolata, Melanoides, 380
fasciolatus, Upeneoides, 514
fascipennis, Scutops, 555, 556
Felidae, 435
felina, Polycelis, 172
Felis concolor, *424*, 475
femuralis, Dennyus, 533
ferruginea, Altica, 121, 132
Lactica, 123
Strabala, 122, 125 (fig.), 127, *132*
ferrugineus, Amechanus, 102
Athyreus, 102
Athyreus (Bradicinetus), 102
Bolboceras, 102
Bolboceras (Amechamus), 102
Bradycinetulus, 96, 99 (fig.), *102*, 103, 104, 105, 115 (map)
Bradycinetus, 102
Elater, 612
Scarabaeus, 101, 102
fiebrigi, Stilobezzia, 76
Fijidoma, *383*, 385, 386
laddi, 383, 385
maculata, 383, *385*
filicornis, Nereis, 284
Spio, 207, 283 (fig.), *284*
filifer, Petaloproctus, 306, 307
filifera, Maldane, 306
finoti, Ectobius, 41
firefly, lampyrid, Photuris bethaniensis, A new, 35
fish genus Wetmorella, Review of, with descriptions of new forms from the tropical Indo-Pacific, 439
fishes, Indo-Pacific anemone, Review of the, genus Amphiprion, with descriptions of two new species, 187
Flabelligera, 288, *289*
affinis, 207, *289*, 297 (fig.)
infundibulariformis, 289
infundibularis, 289
infundibularum, 289
Flabelligeridae, 207 (table), 212, 213, *288* (key), 297 (figs.)
flava, Eteone, 206, 233, *235*, 237 (fig.)
Nereis, 235
flavangulus, Phedomenus, 608
flavigularis, Chrysococcyx, 593
Fleutiauxellus, 609
flexuosa, Pista, 226
flies, Neararctic, of the family Periscelidae (Diptera) and certain Anthomyzidae referred to the family, 551
flinti, Phorticoides, 553, 556
floccosa, Lagisca, 222
Polynoë, 222
florentini, Cardiophorus, 615
floridana, Strabala rufa, 125 (fig.), 127, *128*
floridana, Eurycotis, 46
fluvialis, Io, 363, 364
Fonticola, 166, 167
fontis, Cylindrodon, 430
foraminifera, Polynoë, 217
forbesi, Travisia, 296
forbesii, Travisia, 296
Forficula livida, 41
formosanus, Neolacon, 613
fortis, Deinictis, 430
fossator, Bradycinetulus, 103
fossatus, Amechanus, 103
Bradycinetulus, 99 (fig.), 102, *103*, 105, 114 (map)
Bradycinetus, 103
Bolboceras, 103
Bolboceras (Amechamus), 103
fossor, Sternaspis, 309
foyi, Eukraiohelea, 61.
fragilis, Lumbrinereis, 275
Lumbrineris, 207, *275*, 277 (fig.)
Lumbriconereis, 275
Lumbricus, 275
francicus, Dennyus, 534, 535
franciscorum, Neomysis, 582
francki, Gnathodicrus, 610
freethii, Potadoma, 370
frenatus, Amphiprion, 190, 192, 199, *200*
Hemidactylus, 9, 11, 14
frontalis, Bos, *424*
fuentesi, Pachychilus, 366
fugax, Peratherium, *402*

fulvicollis, Pengamethes, 614
Fulviini, 621, 622
fulvipennis, Tenalomus, 618
fulvipes, Elater, 612
Fulvius *albonotatus*, 624 (fig.), 627 (fig.), *629* (fig.)
bisbistillatus, 627 (fig.), 631
castaneous, 627 (fig.), 629 (fig.), *630*
imbecilus, 631
lunulatus, 630
ornatifrons, 626 (fig.), *631*
quadristillatus, 627 (fig.), 631
fumigatus, Cypseloides, 547
fumosa, Chaetura spinicauda, 539, 542
funebris, Ambrysus, 1
fusciventer, Amphiprion, 193
fuscula, Stilobezzia, 58, 59, 61, 64
Stilobezzia (Neostilobezzia), *64*, 72 (fig.)
Fusimorphus, 609
Fusus, 364

gallicus, Bolbelasmus, 97, 99 (fig.)
Scarabaeus, 97
Gamepenthes, 609
Ganoxanthus, 609
garmieri, Amyadenium, 177
Dendrocoelopsis, 178
Gattyana, 214, *226* (key)
ciliata, 205, 206, 226, *228*
cirrhosa, 227
cirrosa, 206, *226*, 229 (fig.)
gaurus, Bos, *424*
Gazella dorcas, *424*
granti, *424*
leptoceros, *424*
soemmerringii, *424*
thomsonii, *424*
Geckobia, 9, *10*, 15
australis, 15
hindustanica, 15
keegani, *10* (fig.), 11 (fig.)
philippinensis, *12*, 13 (fig.), 14 (fig.)
simplex, 12
sp., 9, 10
texana, 15
Geckobiella, *15*
texana, 9, *15*, 16 (fig.), 17 (fig.)
geismarianus, Nothocyon, *419*
gemmifera, Exogone, 258
geniculata, Lithasia, 363
Geococcyx, 590, 595
geographica, Adelocera, 617
georgiana, Sphaloplana, 565 (fig.), *566* 567 (fig.), 569 (fig.)
Georgicus, 609
sanguinipennis, 609
Geraniella, 610
Geranus, 610
giardi, Capitella, 299
gibbosa, Ellipstoma, 363
Pleurocera (Ellipstoma), 363
gigantea, Melaenis lovéni, 214
gigas, Gnathophausia, 578
gilva, Hartomyia, 65, 66
glabrum, Aylacostoma, 375, 376
glacialis, Arenicola, 205, 208, *300*, 301 (fig.)
Trichobranchus, 209, *329*, 331 (fig.)
glans, Balanocochlis, 381
Melania, 381
glaphyrus, Glyptomelania, 366
Pachychilus, 365
glauca, Iphis, 611
Lacais, 611
Stilobezzia, 59, 60, 61, 77, 85
Stilobezzia (Stilobezzia), 73 (fig.), *77*
Glossophaga soricina soricina, 465
Glycera, *272*
capitata, 207, *272*, 277 (fig.)
lapidum 273
nana, 273
setosa, 272
Glyceridae, 207 (table), 213, *272*, 277 (figs.)
Glycinde, *274*
wiréni, 205, 207, *274*, 277 (fig.)
Glyptomelania, *366*
glaphyrus, 366
Glyptosaurus montanus, *401*
Gnathedicrus, 610
francki, 610
Gnathophausia, 578
gigas, 578
gracilis, 578
ingens, 578
zoea, 578
goësi, Ampharete, 308, *317*
Goniada nordmanni, 274
Goniadidae, 207 (table), 213, *274*, 277 (figs.)
Goniobasis, 359, 360, 361
livescens, 361
osculata, 261
Gonodyrus, 610
tarsalis, 610
gossei, Dennyus, 534, 536, *543*, 547
gottschei, Melania, 370
gracilis, Chone, 338
Clinopternodus, 430
Enipo, 206, *225*, 305
Gnathophausia, 578
Polynoë, 225
Proceraea, 250
gradatus, Paleocastor, *408*
graffi, Proclea, 325
graffii, Leaena, 325
Proclea, 209, *325*
grandifolia, Heteronereis, 264, 265
grandis, Lavigeria, 372
Leucophaea, 51
Loxorhynchus, 299
granifera, Melania, 379
Tarebia, 379, 386
graniperda, Melania, 370
granosa, Brada, 292
granti, Gazella, *424*

granulata, Brada, 290, 292
Cistenides, 312
Pectinaria, 208, 313 (fig.)
Pectinaria (Cistenides), 311, *312*
Sabella, 312
Serpula, 343
granulatus, Spirorbis, 209, 341 (fig.)
Spirorbis (Lacospira), *343*
granulipennis, Elater, 618
graphium, Pachychilus, 366
gratiosus, Agriotes (Ectinus), 618
gratus, Corymbites, 613
grebnitzkii, Archaeomysis, 580
gregarius, Hesperocyon, *418* (fig.), 430
grimaldii, Eucopia, 579
griseiventris, Chaetura, 539
groenlandica, Amphitrite, 209, 321, *322*
Anaitides, 236
Ophelina, 295, 296
Phyllodoce, 206, 236, 237 (fig.)
Phyllodoce (Anaitides), *236*
Pista, 324
Gromphadorhina, 51, 52
laevigata, 52
grubei, Ampharete, 316
gryllodes, Orocharis, 24
guianae, Monohelea, 137, 147 (fig.)
Monohelea (Monohelea), *150*
guianae, Tapirus terrestris, 480, 481, 485
guianensis, Couroupita, 491
Gurney, Ashley B.; Distribution, general bionomics, and recognition characters of two cockroaches recently established in the United States, 39
Notes on the biology and immature stages of a cricket parasite of the genus Rhepalosoma, 19
guttatipennis, Ambrysus, 6
guttatus, Diacanthus, 610
Selatosomus, 610
Upeneoides, 509
Gyrotoma, *361*
excisum, 361
ovoideum, 361
Gyrus, 610

haematina, Strabala, 134
hagruma, Littorina, 450
Haltica, 122
ambulans, 122, 123, 131
rufa, 121, 122, 123, 127
scutellaris, 123
hamatus, Thelepus, 327
Hamus, 451
hanseni, Eucopia, 479
Hapatesus, 610
Hapithus agitator, 20, 21, 23, 24, 25, 31
agitator agitator, 23
agitator quadratus, 23, 24
brevipennis, 24, 25
sp., 21, 22, 23, 24, 25, 32
Haplosclolopios alaskensis, 278, 279
Harmothoë, 214, *220* (key)
anticostiensis, 225
extenuata, 206, 220, *222*
imbricata, 206, *220*, 229 (fig.)
levis, 221
multisetosa, 223
nodosa, 217, 219
propinqua, 222
rarispina, 222
rarispina propinqua, 222
sarsi, 215
(Antinoëlla) sarsi, 215
triannulata, 222, 223
Harpagocryptus, 33
Hartomyia antennalis, 68
gilva, 65, 66
lutea, 65, 66
pallidiventris, 78
picta, 75
viridis, 84
Hartomyia nebulosa, 151
hastula, Melania, 380
Haupathesus, 610
hawaiensis, Lophogaster, 577
haydeni, Paleolagus, 415
hebes, Photuris, 36
Heleidae, *57*, *136*, 141
Heliconia mariae, 630
Heliocis, 88
Hemiblabera tenebricosa, 46
Hemidactylus frenatus, 9, 11, 14
leschenaulti, 12, 15
Hemimitra, 369
hemionus, Odocoileus, *423*
Hemiptera, 488
Hemirhaphes, 610
Hemirhipus, 610
submetallicus, 609
trilineatus, 605
Hemirrhaphes, 610
Hemisinus, 367, 375, *376*
behnii, 375
lineolata, 375
henriettae, Melania, 383
Heptacodon, 433
sp., 430
Herpyllobius arcticus, 221, 223, 227
Hershkovitz, Philip, Mammals of northern Colombia, preliminary report No. 7; (genus Tapirus), with a systematic review of American species, 465
Hesionidae, 206 (table), 212, *239*, 243 (figs.)
Hesperocyon, 420, 432, 433
gregarius, *418* (fig.), 430
paterculus, *416*, 417 (fig.), 430
sp., 418
heterochaeta, Syllis, 254
Syllis (Ehlersia), 253
Heteromeryx, 433, 434
dispar, 430
Heteronereis grandifolia, 264, 265
Hevea sp., 630
hieroglyphica, Monohelea, 135, 136, 137, 139, 140, 141, 142, 143, 147 (fig.)
Monohelea (Monohelea), *140*, 144, 145
hindustanica, Geokobia, 15

Hippopotamus terrestris, 479
hirtus, Athous, 615
Elater, 615
Hirundapis caudacutus caudacutus, 543
hirundinidis, Dennyus, 534, 535
Hosbinh, 610
coomani, 610
hoffmasteri, Speophila, 567 (fig.), 569 (fig.), *570*, 571 (fig.)
Holmesiella anomala, 580
Hoplophoneus, 433
mentalis, 430
o'harrai, 430
robustus, 430
horei, Tiphobia, 373, 374
Horizoteichos, 610
papuensis, 610
hornii, Bolbelasmus, 97, 98, 99 (fig.), *100*, 115 (map)
Bolboceras, 100
Bradycinetulus, 100
Bradycinetus, 95, 97, 100
Kolbeus, 100
horribilis, Ursus, 419, 424
Hortomyia diversa, 76
horvathi, Candezella, 604
howesi, Bathanalia, 374
Hua, 368
hudsonica, Nepthys, 270
hugeli, Paracrostoma, 383
hungerfordi, Ambrysus, 6
Hyaenodon, 434
cruentus, 430
montanus, 430
Hyas coarctatus, 224, 324
coarctatus alutaceus, 261
Hydrobiidae, 386
Hydrochaerus tapir, 479
hyeroglyphica, Monohelea, 140
Hyman, Libbie H.: North American triclad Turbellaria, XIII: three new cave planarians, 563
Hypdonus, 610
Hypeneus, 506
vittatus, 516
hyperborea, Cistenides, 314
Pectinaria, 208, 313 (fig.)
Pectinaria (Cistenides), 311, *314*
Hypertragulidae, *426*, 432, 433
Hypertragulus, 433, 434
chadronensis, 430
crawfordensis, 430
Hypisodus, 433, 434
paululus, 430
Hypnoidus, 610
bakeri, 610
basalis, 603
maritimus, 609
Hypolithus, 610
Hypolittus, 610
hypostylus, Mesohippus, *421*, 422 (table), 430
Hyracodon, 432
acridens, 430
Hyracodontidae, *423*
Ichnodes, 158
Ictops, 431, 433
acutidens, *403*, 430
dakotensis, 430
thompsoni, 430
Idanthyrsus, *308*
armatus, 205, 208, 301 (fig.), *308*
ornamentatus, 308
Idiotarmon, 611
ignobilis, Melanoides, 371
Ijimia, 172
imbecilis, Fulvius, 631
imbricata, Aphrodita, 220
Harmothoë, 206, *220*, 229 (fig.)
imitata, Cyamops, 558, *559*
impatiens, Lagisca, 222, 223
imperialis, Bolbocerastes, 99 (fig.), 106, *109*, 112, 113, 114 (map), 116
imperialis, Bourguignatia, 372
incertus, Autolytus, 250
indefinata, Melanoides, 380
indicus, Bos, *424*
Tapirus, 465, 469
Tapirus (Acrocodia), 467, 489
Indo-Pacific anemone fishes, genus Amphiprion, with descriptions of two new species, Review of, 187
inermis, Melania, 381
inflatum, Scalibregma, 208, *293*, 297 (fig.)
inflex, Paleogale, 430
infundibulariformis, Flabelligera, 289
infundibularis, Flabelligera, 289
infundibularum, Flabelligera, 289
infundibuliformis, Chone, 209, *338*, 341 (fig.)
infundibulum, Amphitrite, 340
Myxicola, 209, *340*, 341 (fig.)
ingens, Gnathophausia, 578
inhabile, Siphonostoma, 292
inhabilis, Brada, 207, 290, *292*, 297 (fig.)
Insectivora, *403*, *431*
insulare, Lophogaster subglaber, 577
intermedia, Lactica, 123
Pseudopotamilla, 337
Strabala, 121, 122, 125 (fig.), 127, 131, *133*
intermedius, Amphiprion, 194
Coracinus, 194
Lophogaster, 577
Paleolagus, *415*
intonsus, Dennyus, 535, 540 (fig.) *545*
inusitata, Eukraiohelea, 61
Inusitatomysis serrata, 581
sp., 581
Io, *363*
fluvialis, 363, 364
spinosa, 364
tenebrosa, 364
Iphis glauca, 611
Ipostirus, 611
parumcostatus, 611
iridescens, Bythoceras, 373
irrorata, Littorina, 460

Ischnomyia, 557
Ischyromyidae, *408*
Ischyromys, 431, 432, 433, 434
pliacus, *408*, 430
islandica, Polynoë, 217, 218
Sternaspis, 309

jacquetiana, Melania, 368
Oxytrema, 368
jamaicensis, Strabala ambulans, 125 (fig.), 127, *131*
japonica, Terebellides stroemii, 330
japonicus, Amphiprion, 198
Lophogaster, 577
Mullus, 509
Upeneoides, 509
jeffersoni, Prosciurus, 430
johannseni, Monohelea, 137, 139, 146 (fig.), 147 (fig.), 152, *153*
Johannseniella antennalis, 68
diversa, 76
nebulosa, 151
polita, 138
viridis, 84
Johannsenomyia polita, 138
Jonthadocerus, 611
theryi, 611
joretiana, Oxytrema, 368
jourdin, Lutjanus, 194

kadiakensis, Neomysis, 582
kansanus, Bolbocerastes *imperialis*, 106, *112*, 115 (map)
karafto, Polycelis, 171, 172
Katerythrops, 581
sp., 576, 581
keegani, Geckobia, *10* (fig.), 11 (fig.)
Kenk, Roman; The freshwater triclads (Turbellaria) of Alaska, 163
Kenkiidae, *566*, 568
Kentrogomphios, 404, 431, 434
strophensis, *404*, 405 (fig.), 406 (fig.), 430
kiefferi, Stilobezzia (Stilobezzia), 81
kincaidi, Boreomysis, 577, 580
kiushiuana, Upeneoides, 522
klaas, Lampromorpha, 585, 586, 587, 590, 592, 593, 594, 595
knulli, Vasaces, 89, *90*, 91 (fig.)
Kolbeus, 95, 97
arcuatus, 97, 98
hornii, 100
minor, 100
koltzei, Cephaloon pallens, 161
kosiowi, Polycelis, 172
kowloonensis, Sermyla, 380
Kudius, 611

La Rivers, Ira; Two new naucorid bugs of the genus Ambrysus, 1
labiosa, Paludomus, 369
Lacais, 611
glauca, 611
Lachner, Ernest A.; A revision of the goatfish genus Upeneus with descriptions of two new species, 497
Lactica, 122, 124, 126, 133, 134
ferruginea, 123
intermedia, 123
scutellaris, 122, 123, 129, 130
laddi, Fijidoma, 383, 385
laevigata, Gromphadorhina, 52
laevissima, Pachychilus, 366
Lafošina maxima, 248, 249
Lagisca extenuata, 222
extenuata spinulosa, 222
floccosa, 222
impatiens, 222, 223
propinqua, 222
rarispina, 222
Lagomorpha, *415*, *432*
Lamononia, 611
monticola, 611
Lampromorpha, 585, 590, 591, 592, 594
caprius, 585, 586, 587, 588, 589, 590, 591, 592, 593 (fig.), 595
klaas, 585, 586, 587, 590, 592, 593, 594, 595
Lampropsephus, 611
Lanassa, 320, *326*
venusta, 209, *326*
venusta pacifica, 326
Lanchaeidae, 553
lanei, Monohelea, 137, 139, 146 (fig.), 147 (fig.)
Monohelea (Monohelea), 140, *141*
Lanelater, 608, 611
schotti, 611
languarioides, Anischia, 603
languida, Strabala, 122
Laphaniella venusta, 326
lapidum, Glycera, 273
lapponicus, Ectobius, 41, 45
laqueata, Oxytrema, 360
largillierti, Pachychilus, 366
Sphaeromelania, 365
Larra, 33
analis, 32
Larridae, 32
Lasiocerus, 611
lateritia, Tarebia, 378, 379
laticlavius, Amphiprion, 188, *193*
latidens, Eumys, 411, *412*, 413 (fig.)
latidens, Mesohippus, 430
latifrons, Dennyus, 533
latipalpis, Sphaerosyllis, 256, 257
latrans, Canis, *423*
laurillardi, Tapirus, 479, 481, 485
Tapirus terrestris, 479
Lavigeria, 371, *372*, 373
coronata, 372
grandis, 372
Lavigeriinae, 358, *369*, *371*, 373, 386
Lawrence, R. F.; Two new scale-mite parasites of lizards, 9
lazarus, Scarabaeus, 95, 101
Leaena, 320, *325*
abranchiata, 209, *325*, 326, 331 (fig.)
abranchiata antarctica, 325, 326
antarctica, 325
graffii, 325
nuda, 326

lecontei, Bolboceras, 102
lentigera, Eteone, 235
Lepidonote cirrata, 220
scabra, 219
lepidotus, Elater, 616
611, 619
(Aulacon) nobilis, 603
(Diphyaulon) pyrsolepis, 608
Le Pinchaque, 471
Leporidae, *415*
Leptictidae, *403*
leptoceros, Gazella, *424*
Leptochoeridae, *425*, 432, 433
Leptochoerus sp., 425, 430
Leptomeryx, 427, 432, 433, 434
annectens, 430
esulcatus, 426, 427
evansi, *427* (table)
mammifer, 427
transmontanus, *426*, 427 (table), 430
Leptoxis, *361*, 363, 364, 369
praerosa, 361, 362
lepturides, Cephaloon, 156, 157 (map), 158, 160
leschenaulti, Hemidactylus, 12, 15
Leanelater, 612
leucogenys, Pinchacus, 471
Tapirus, 469, 471, 472, 474, 476, 477, 479
leucopeza, Ceratolophus, 138
Ceratopogon, 138
Monohelea, 136, 139, 146 (fig.)
Monohelea (Schizohelea), *138*
Schizohelea, 138
Leucophaea, *45*, 50, 51
grandis, 51
maderae, 40, *45*, 47 (figs.)
puerilis, 53
levis, Harmothoë, 221
libertina, Semisulcospira, 369
liebmanni, Pachychilus, 366
liguriae, Caesaromysides, 577, 581
limacina, Ophelia, 296
limbus, Dennyus, 536, 538, 540 (fig.), *542*
limicola, Spio, 284
Limnetes, 434
sp., 430
limnophila, Stilobezzia, 83
Limnotrochus, *371*
thomsoni, 371
Limnydrus, 612
cylindricus, 612
linearis, Vasaces, *89*, 91 (fig.)
linearis, Elater, 609
lineata, Pseudosabellides, 318
lineatus, Elater, 610
lineolata, Melania, 376
Hemisinus, 375
lineolatum, Aylacostoma (Hemisinus), 376
linkoi, Polycelis, 172
literalis, Pugetomysis, 581
Lithasia, 363
geniculata, 363
obovata, 363
Lithasiopsis, 365
Lithoglyphus rufofilosus, 387
litoraurea, Monohelea (Monohelea), 152
Litorina, 459
antoni, 458
cecillei, 456
malaccana, 456
nodulosa, 458
(Tectarius) pfeifferianus, 459
scabra, 568
thiarella, 451
tuberculatus, 451
vilis, 456
Littoraria, 449, 450
littorea, Littorina, 450, 460, 462
Littorina (Littorina), 460
Littorina, 450, 463
-capsula habei, 450
dilatata, 451
hagruma, 450
irrorata, 460
littorea, 450, 460, 462
(Littorina) littorea, 460
mauritiana, 450
multistriata, 450
(Melarhaphe) neritoides, 450
nodulosa, 451, 459
pinctado, 450
pyramidalis, 451, 456
rudis, 462
saxatilis, 462
scabra, 458
tuberculata, 451
ziczac, 450, 453 (fig.)
(Melarhaphe) ziczac, 450, 452
Littorinidae, 449, *450*, 460, 461, 462
livens, Blatta, 40, 41
Ectobius, 39, *40*, 47 (figs.)
livescens, Goniobasis, 361
livida, Blatta, 40, 41
Forficula, 41
lividus, Buffeventius, 604
Ectobius, 40, 41
Lizards, Two new scale-mite parasites of, 9
lobata, Scione, 323
Lobitarsus, 612
Lobotarsus, 612
longa, Aphrodita, 230
Eteone, 206, 233, *234*, 237 (fig.)
Nereis, 234
longicauda, Sphaerosyllis, 256, 257
longiceps, Paedophylax, 259
longicirris, Paedophylax, 259
longicornis, Sicardius, 617
longinaris, Pseudoprotoceras, 430
longirostris, Lophogaster, 577
longisetosa, Nephthys, 268
longisetosus, Autolytus, 242, 247, 250
Longithorax capensis, 581
Longiverena, 377
longosetosa, Nephthys, 268
Nephthys ciliata, 268
Nephtys, 207, 267, *268*, 269 (fig.)
longosetosus, Polybostrichus, 242, 247, 249, 250

Lophogaster, 577, 578
affinis, 577
americanus, 577
challengeri, 577
erythraeus, 577
hawaiensis, 577
intermedius, 577
japonicus, 577
longirostris, 577
multispinosus, 577
pacificus, 577
rotundatus, 577
schmitti, 577, 578
spinosus, 577
subglaber, 577
subglaber affinis, 577
subglaber insulare, 577
typica erythraeus, 577
typicus, 577
lourei, Exogone, 259
lovéni, Melaenis, 205, 206, *214*
Loxorhynchus grandis, 299
lucidus, Antoligostethus, 603
Chalcites, 586, 587, 591, 592, 594, 595
lucricrescens, Photuris, 36, 37
Ludius, 611, 612
parumcostatus, 611
lullianus, Cyclopidius, 426
lumbricalis, Nicomache, 208, 225, 301 (fig.), *305*
Sabella, 305
Lumbriconereis minuta, 275, 276
fragilis, 275
Lumbricus armiger, 278
capitatus, 298
cirratus, 286
fragilis, 275
Lumbrinereis fragilis, 275
Lumbrineris, *275*
fragilis, 207, *275*, 277 (fig.)
Lumbrineridae, 207 (table), 213, *275*
lunulatus, Fulvius, 630
lutea, Hartomyia, 65, 66
Stilobezzia, 58, 60, 61, 65, 68
Stilobezzia (Neostilobezzia), *65*, 72 (fig.)
Lutjanus ephippium, 188, 199
jourdin, 194
percula, 188, 191
luzonius, Upeneoides, 519
Upeneus, 500 (table), 502 (tables), 503, 504 (table), 505 (tables), 507, 509, *519*, 521 (table), 523 526

macfiei, Monohelea, 137, 139, 140, 146 (fig.), 147 (fig.)
Monohelea (Monohelea), *143*, 144
macfiei, Stilobezzia, 65
macrocera, *Dido*, 600
macrocerus, Tetralobus, 600, 601
macropsis, Acanthomysis, 582
macrostoma, Amphiprion, 201
macrostomus, Prochilus, 201
Macrotarsius, 434
maculata, Ampullacera, 385
Ampullarina, 385
Fijidoma, 383, *385*
Nicomache, 306
Pista, 205, 209, 319 (fig.) *323*, 325
Salinator, 385
Terebella, 323
Veloplacenta, 385
maculatus, Vasaces, 89, 91 (fig.), *92*
maculatus, Paludomus, 369
maculicolle, Cephaloon pallens, 161
maculipennis, Ceratopogon, 135, 140
Monohelea, 137, 139, 140
Monohelea (Monohelea), *140*, 142
Scutops, 555, 556
madagascariensis, Pachyelater, 612
maderae, Blatta, 45
Leucophaea, 40, *45*, 47 (figs.)
Rhyparobia, 45
Magacnemis, 612
magnifica, Eusyllis, 205, 207, 260, *261*
Pionosyllis, 261, 262
magnus, Metacodon, 430
major, Dennyus, 534, 535, *543*
Eucopia, 579
Takamatsuia, 543
malaccana, Litorina, 456
Nodilittorina, 456
Maldane, 302, *303*
filifera, 306
sarsi, 208, 301 (fig.), *303*
sarsi antarctica, 304
sarsi tropica, 304
tenuis, 306
Maldanidae, 208 (table), 218, 301 (figs.), *302* (key)
Malekula, 612
piceus, 612
Mallaphaga, Studies in Neotropical bird lice of the suborder Amblycera, genus Dennyus Neumann, 533
Mallerius, 612
brasiliensis, 612
mallochi, Stilobezzia, 65, 66
Malloea, *600*
malgreni, Prionospio, 207, *282*, 283 (fig.)
Mammals of northern Colombia, genus Tapirus, 465
memmifer, Leptomeryx, 427
Manitsha, 434
Marbenia, 555, 556
peculiaris, 555, 556
Margarites, 458
marginatus, Elater, 607
mariae, Heliconia, 630
Marine polychaete worms from Point Barrow, Alaska, with additional records from the North Atlantic and North Pacific, 203
maritimus, Aplotarsus, 607
Hypnoidus, 609
Marshall, N. B., see under Schultz, Leonard P.

marshi, Archaeotherium, 430
Marsupialia, *402*
mauiensis, Sermyla, 380
mauritiana, Littorina, 450
Melarhaphe, 450
mauritiensis, Amphiprion, 189, 192, *196*
maxima, Lafoëina, 248, 249
maximus, Abchastus, 601
maypuri, Tapir, 479, 481, 485
Mazama, 475
mccullochi, Amphiprion, 201
McDermott, Frank A.; Photuris bethaniensis, a new lampyrid firefly, 35
medinevus, Apternodus, 403, 430
medjeorum, Melanoides, 371
Medonia fairmairei, 616
medusa, Polycirrus, 209, *328*, 331 (fig.)
Megacnemis, 612
Megalagus, 432, 433, 434
brachyodon, *416*, 430
turgidus, 430
Megapenthes birmanicus, 619
octomaculatus, 609
Megara, 364
alveare, 364
megerlei, Brachygonus, 604
Elater, 604
Melaenis, *214*
lovéni, 205, 206, *214*
lovéni gigantea, 214
Melanatractus, 612
acutus, 612
Melania, 360, 364, 370, 382
armigera, 363
aspirans, 380
crenocarina, 377
episcopalis, 382
glans, 381
gottschei, 370
granifera, 379
graniperda, 370
hastula, 380
henriettae, 383
inermis, 381
jacquetiana, 368
lineolata, 376
mitra, 380
nodifila, 370
nodiperda, 370
pagodula, 382
pagodulus, 382
scalaris, 375
semigranosa, 379
siccata, 381
sulcospira, 381
telonaria, 368
tuberculata, 375, 377
variabilis, 382
Melanian complex, 358 (key)
Melanians, The relationships of Old and New World, 357
Melaniidae, 373
Melanoides, 371, 372, *380*, 382, 385, *386*
chinensis, 380
crawshayi, 371
fasciolata, 380
ignobilis, 371
indefinata, 380
medjeorum, 371
mweruensis, 371
sp., 380, 381
suifuensis, 380
tornata, 371
tuberculata, 380, 386
turriculus, 380, 381
vainafa, 380
wagenia, 371
melanoleucus, Aeronautes, 537, 538
Melanopsidae, 357, *358*
Melanopsis, 357, 359
dufourii, 359
melanopus, Amphiprion, 190, 192, *201*
Prochilus, 201
melanostolus, Amphiprion, 198
Melanotus, 612
Melanoxanthus, 612
rubiginosus, 601
virgatus, 609
Melanoxocanthus, 612
melanurus, Amphiprion, 194
Melarhaphe, 449, 450, 460, 461
mauritiana, 450
mentalis, Hoplophoneus, 430
mercedis, Neomysis, 576, 577, 582
meridionalis, Dennyus, 534, 536, *539*, 540 (fig.), 542
Nitzschia bruneri, 539
Meristhus, 612, 616
quadripunctatus, 617
scabinula, 616
scobinula, 612, 616
Meronychia, 553, 556
Meronychina, 553, 556
annulata, 556
Merychippus sp., 423
Merycoidodon affinis, 430
culbertsoni, 425
sp., 425
Merycoidodontidae, *425*, 432, 433
Merycoidodonts sp., 430
Mesembria, *601*
subtilis, 601
Mesohippus, 425, 432, 433
celer, 430
hypostylus, *421*, 422 (table), 430
latidens, 430
montanus, 430
portentus, 430
Mesoreodon chelonyx, *425*
messi, Pectocera, 605
Metacodon, 431, 433
magnus, 430
Metactenicerus, 613
metallicum, Stenocephaloon, 159
Meterychrops microphthalma, 580
robusta, 580
mexianae, Tapirus americanus, 480, 481, 485

Microchiroptera, 407
Microperiscelis, 551, 552, 553, 555, 556
annulata, 555, 556
winnertzi, 556
microphthalma, Meterythrops, 580
microps, Boreomysis, 576, 579
Micropternodus, 431, 433
borealis, 430
micros, Cryptohypnus, 615
Microtus, 424
Midges, American biting, of the heleid genus Monohelea, 135
Biting, of the heleid genus Stilobezzia in North America, 57
miliaris, Nodilittorina, 450
milli, Sparus, 198
mimas, Monohelea (Monohelea), 152
minimus, Adjidaumo, 430
minor, Bolbelasmus, 97, 98, 99 (fig.), *100*, 115 (map)
Bolboceras, 100
Bradycinetus, 95, 97, 100
Dennyus, 535, *544*
Ectobius livens, 44
Kolbeus, 100
Nicomache, 306
Nitzschia, 544
Paradjidaumo, *409*, 430
Perchoerus, 430
minuta, Aphrodita, 230
Eulalia, 238
Eumida, 205, 206, 237 (fig.), *238*
Lumbriconereis, 275, 276
Oophylax, 256, 257
Pholoë, 206, 229 (fig.), *230*
minutum, Scalibregma, 293, 294
minutus, Pseudopterodon, 430
mirabilis, Cardiohypnus, 604
mitis, Caenopus, *425*, 430
mitra, Melania, 380
mobilicornis, Scarabaeus, 101
Moduliade, 357, 358, 449, 461, 462
modulus, Modulus, 453 (fig.), 454, 457 (fig.), 461
Modulus, 357, 449, 461
modulus, 453 (fig.), 454, 457 (fig.), 461
Mogula sp., 255
moluccensis, Upeneoides, 514
Upeneus, 500 (table), 502 (tables), 504 (table), 505 (tables), 508, 510, *514*
Upenoides, 514
monilicornis, Eusyllis, 260
Syllis, 260
monofasciatus, Amphiprion, 199
Monohelea, 135, *136*, (key), 139 (table), 146 (figs.), 147 (figs.)
American biting midges of the heleid genus, 135
brasiliensis, 137, 135
(Monohelea) brasiliensis, *145*
guianae, 137, 147 (fig.)
(Monohelea) *guianae*, *150*
hieroglyphica, 135, 136, 137, 139, 140, 141, 142, 143, 147 (fig.)
(Monohelea) hieroglyphica, *140*, 144, 145
hyeroglyphica, 140
johannseni, 137, 139, 146 (fig.), 147 (fig.), 152, *153*
lanei, 137, 139, 146 (fig.), 147 (fig.)
(Monohelea) *lanei*, 140, *142*
leucopeza, 136, 139, 146 (fig.)
(Schizohelea) leucopeza, *138*
(Monohelea) litoraurea, 152
macfiei, 137, 139, 140, 146 (fig.), 147 (fig.)
(Monohelea) *macfiei*, *143*, 144
maculipennis, 137, 139, 140, 146 (fig.), 147 (fig.)
(Monohelea) maculipennis, *140*, 142
(Monohelea) mimas, 152
multilineata, 137, 139, 145, 147 (fig.), 149, 150
(Monohelea) multilineata, *149*
nebulosa, 137, 139, 146 (fig.), 147 (fig.) 151
(Monohelea) nebulosa, *151*, 153
nigeriae, 150
ornata, 137, 139, 146 (fig.)
(Monohelea) *ornata*, *144*
sp., 135
stonei, 137, 139, 146 (fig.), 147 (fig.)
(Monohelea) *stonei*, *148*, 149, 150
tessellata, 147 (fig.), 150, 152, 153
(Monohelea) tessellata, 152
texana, 136, 147 (fig.)
(Monohelea) *texana*, *143*
monstrosum, Cavicoxum, 605
montanus, Glyptosaurus, *401*
Hyanedon, 430
Mesohippus, 430
Promerycochoerus, *426*
Stibarus, 430
monticola, Lamononia, 611
montrouzieri, Tectaria, 451
Mopleonus, 613
candezei, 613
morgani, Phagocata, 165, 167, 168
mormon, Ambrysus, 3, 4
Morrison, J. P. E.; The relationships of Old and New World melanians, 357
mortoni, Archaeotherium, 430
moutoniana, Oxytrema, 368
mucosa, Phyllodoce, 236
Mudalia, *361*
carinata, 361
trilineata, 361
Mulloides pinnivittatus, 513
Mullus, 528
auratus, 528, 529
bandi, 516
bensasi, 509
dubius, 498, 515
japonicus, 509
subvittatus, 513
vittatus, 506, 516

multilineata, Monohelea, 137, 139, 145, 147 (fig.), 149, 150
Monohelea (Monohelea), *149*
Oxytrema virginica, 360
Palpomyia, 149
multipapillata, Castalia, 239
multisetosa, Harmothoë, 223
multispinosus, Lophogaster, 577
multistriata, Littorina, 450
Mumetopia, 557, 558
muricatus, Tectarius, 449, 450, 452, 453 (fig.), 454, 455 (fig.), 457 (fig.), 459, 460, *462*
murinus, Elater, 602
Mustelinae, 434
Mutiloptera, 557
mweruensis, Melanoides, 371
Mycterus, 156, 158
Myodris, 552, 553, 555, 556
annulata, 556
Myrsidea, 533
A supplement to W. M. Tattersall's review of, 575
Mysidae, 582
Mysidella americana, 576, 582
Mysidellinae, 576, 582
Mysini, 576
Mysis oculata, 576, 581
Mysta, *233*
barbata, 233
Mystides, 231, *232*
borealis, 206, *232*, 237 (fig.)
notialis, 232
viridis, 232
Myxicola, 334, *340*
infundibulum, 209, *340*, 341 (fig.)
steenstrupii, 340

naidina, Exogone, 207, 243 (fig.), *258*
nana, Glycera, 273
nanus, Perchoerus, 430
nasea, Nassopsis, 372
Nassopsis, 373
nassa, 372
Naucorid bugs of the genus Ambrysus, Two new, 1
Naucoridae, 1
Nauphoeta, 48, 51
cinerea, 40, 46, 51
nausicaae, Dendrocoelum, 179
nearcticum, Rhopalosoma, 19, 20, 24, 32
nebulosa, Ceratopogon, 135
Cyamops, *558*
Hartomyia, 151
nebulosa, Johannseniella, 151
Monohelea, 137, 139, 146 (fig.), 147 (fig.), 151
Monohelea (Monohelea), *151*, 153
Periscelis, 553, 556
nebulosus, Ceratolophus, 151
Ceratopogon, 151
neglecta, Potamilla, 209, 333 (fig.), *335*
Sabella, 335
neglectus, Pseudocylindrodon, 430
Neoamphitrite robusta, 322
Neolacon, 613
formosanus, 613
Neomysis franciscorum, 582
kadiakensis, 582
mercedis, 576, 577, 582
rayii, 582
neonigripes, Nereis, 264
Nereis pelagica, 264, 265
Neonomopleus, 613
strictus, 613
Neoscutops, 555, 556
rotundipennis, 555, 556
Neostilobezzia, *65*
Neotropical Miridae, LXIV, New bugs of the subfamily Cylapinae (Hemiptera), 621–632
nephrophthalma, Acanthomysis, 582
Nephthys brachycephala, 271, 272
caeca, 270
ciliata, 268, 270
ciliata longosetosa, 268
discors, 270
coeca, 268
longisetosa, 268
longosetosa, 268
paradoxa, 271
phyllobranchia, 271
Nephtyidae, 207 (table), 212, *266*, 269 (figs.)
Nephtys, *267* (key)
ciliata, 207, 267, 269 (fig.), *270*
discors, 207, 267, 269 (fig.), *270*
longosetosa, 207, 267, *268*, 269 (fig.)
paradoxa, 207, 267, 269 (fig.), *271*
phyllobranchia, 271, 272
rickettsi, 270, 271
Nepthys ciliata, 270
hudsonica, 270
Nereidae, 207 (table), 212, *263*, 269 (figs.)
Nereis, *263*, 264 (key)
aphroditoides, 239
arctica, 264
armillaris, 254
caeca, 270
ciliata, 268, 270
filicornis, 284
flava, 235
longa, 234
neonigripes, 264
pelagica, 207, 264, 269 (fig.)
(Nereis) pelagica, *264*
pelagica neonigripes, 264, 265
pelagica occidentalis, 264, 265
prismatica, 247, 249
procera, 266
zonata, 207, 265, 269 (fig.)
(Nereis) zonata, 264, *265*
zonata persica, 266
Nerinides, 280, *285*
sp., 205, 207, 283 (fig.), *285*
neritiformis, Tylomelania, 381
neritinoides, Stanleya, 388
neritoides, Littorina (Melarhaphe), 450

Nicolea, 320, *322*
arctica, 322
simplex, 323
venustula, 209, 319 (fig.), *322*
zostericola, 322
Nicomache, 303, *304*, 305 (key)
carinata, 305
lumbricalis, 208, 225, 301 (fig.), *305*
lumbricalis borealis, 305
maculata, 306
minor, 306
personata, 208, 301 (fig.), 305, *306*
niger, Pleonomus, 616
nigeriae, Monohelea, 150
nigra, Polycelis, 172
nigrata, Pachychilus, 366
nigriceps, Strabala, 122
Nimravinae, 434
Nina, 458
Nitzschia bruneri, 538
bruneri meridionalis, 539
dubius, 537
minor, 544
pulicaris tibialis, 538
tibialis, 538
nivea, Phagocata, *164*, 167 (fig.), 179, 180, 182
nobilis, Elater, 601
Lepidotus (Aulacon), 603
nodifila, Melania, 370
Oxytrema, 361, 368
Nodilittorina, 449, *450*, 454, 455 (fig.), 458, 459, 460, 463
malaccana, 456
miliaris, 450
picta, 450
pyramidalis, *456*, 460
subnodosa, 456
tuberculata, 449, 450, *451*, 453 (fig.), 454, 455 (fig.), 457 (fig.), 459, 460, 462
vilis, 456
nodiperda, Melania, 370
nodosa, Eunoa, 217
Eunoë, 206, 216, *217*, 219, 229 (fig.)
Harmothoë, 217, 219
Polynoë, 217, 219
nodulosa, Litorina, 458
Littorina, 451, 459
nodulosus, Echininus, 449, 451, 452, 453 (fig.), 454, 455 (fig.), 457 (fig.), *458*
Tectarius, 462
Trochus, 451, 456
Turbo, 451
Nomopleus, 613
nordmanni, Goniada, 274
North American triclad Turbellaria, XIII; three new cave planarians, 563
Northern Colombia, Mammals of, genus Tapirus, 465
Nothocyon geismarianus, *419*
notialis, Mystides, 232
Notiphila, 553, 556
annulata, 552
nubilus, Canis, *423*
nuda, Leaena, 326
Nullarborica, 613
concinna, 613
Nychia cirrosa, 226
Nyctitheriidae, *404*
Nyctor, 613
expallidus, 613

obesus, Elater, 608
obovata, Lithasia, 363
obscura, Pacificola, 613
obscuripes, Elater, 605
obscurus, Elater, 606
occidentalis, Periscelis, 552, 553, *554*, 555, 556
occidentalis, Nereis pelagica, 264, 265
ocellaris, Amphiprion, 194
ocellata, Wetmorella, 440, 442, 443, *444*, 446, 447
Ochotoninae, 434
ochraceus, Ceratopogon, 63
octomaculatus, Megapenthes, 609
oculata, Mysis, 576, 581
oculatus, Vannius, 626 (fig.), *628*
oculi-marginata, Polycelis, 172, 182
Odocoileus hemionus, *423*
virginianus, *423*
Odontaeus, 96, 101
Odontocardus, 613
Oedemeridae, 158
oerstedi, Chaetosyllis, 253
Eunoë, 206, 216, 218, *219*, 229 (fig.)
Syllis, 253
Ogmophis arenarum, *402*
o'harrai, Hoplophoneus, 430
olequaensis, Ambloxus, 360
oligospilus, Upeneus, 500 (table), 502 (tables), 503, 504 (table), 505 (tables), 509, *525*, 526 (table), 527 (table)
onager, Equus, *424*
Oophylax minuta, 256, 257
Ophelia limacina, 296
Opheliidae, 208 (table), 213, *295* (key), 297 (fig.)
Ophelina groenlandica, 295, 296
Opomysidae, 557
Orbiniidae, 207 (table), 213, *278*, 283 (figs.)
orientalis, Asabellides, 318
ornata, Monohelea, 137, 139, 146 (fig.)
Monohelea (Monohelea), *144*
ornamentatus, Idanthyrsus, 308
ornata, Proceraea (Stephanosyllis, 246
Stephanosyllis, 246
ornatifrons, Fulvius, 626 (fig.), *631*
ornatus, Anchastelater, 602
Autolytus, 244
Diploconus, 616
Tremarctos, 475
Orocharis gryllodes, 24
saltator, 22, 23, 24
sp., 22, 23, 24, 25, 32
osborni, Trigonias, 425, 430

osculata, Goniobasis, 361
ovalis, Elater, 602
Ovalpalpus, 613
Ovipalpus, 613
ovoideum, Gyrotoma, 361
Oxymelania, *365*
  schiedianus, 365
Oxytrema, *359*, 364, *367*, 370, 371, 382
  bailleti, 368
  bulbosa, 361
  canaliculatum undulatum, 360
  catenaria, 360
  comalensis, 360
  deshayesiana, 361
  jacquetiana, 368
  joretiana, 368
  laqueata, 360
  moutoniana, 368
  nodifila, 361, 368
  peregrinorum, 368
  (Strephobasis) plena, 361
  plicifera, 360
  semicarinata, 367
  silicula, 360
  symmetrica, 360
  telonaria, 368
  toucheana, 368
  virginica, 364
  virginica multilineata, 360

Pachychilus, 360, *364*, *366*, 367, 370
  corvinus, 365, 366
  cumingii, 366
  (Pilsbrychilus) dalli, 367
  drakei, 360
  fuentesi, 366
  glaphyrus, 365
  graphium, 366
  laevissima, 366
  largillierti, 366
  liebmanni, 366
  nigrata, 366
  pilsbryi, 365
  (Oxymelania) pilsbryi, 376
  violaceus, 366
  walli, 367
Pachycynodon, 421
Pachyelater, 612
  madagascariensis, 612
pacifica, Euchaetomeropsis, 577, 580
  Lanassa venusta, 326
  Spio filicornis, 284
Pacificola, 613
  obscura, 613
pacificum, Cephaloon, 157 (map), 159, 160
pacificus, Lophogaster, 577
Paedophylax dispar, 259
  longiceps, 259
  longicirris, 259
pagodula, Protia, 382
  Melania, 382
pagodulus, Melania, 382
Paleocastor gradatus, *408*
  peninsulatus, 408
Paleogale, 432, 433
  inflex, 430
Paleolagus, 432, 433, 434
  burkei, *415*
  haydeni, 415
  intermedius, *415*
  temnodon, *415*, 430
pallens, Cephaloon, 157 (map), 158, 160, *161*
pallidiventris, Hartomyia, 78
  Stilobezzia, 59, 61, 78
  Stilobezzia (Stillobezzia), *78*
pallidulus, Elater, 602
Palpomyia dorsofasciata, 62
  multilineata, 149
Paludominae, 371
Paludomus, *369*, 383
  labiosa, 369
  maculatus, 369
  tanschaurica, 369
Panamenia, 555, 556
  chapmani, 555
Panchlora, 45, 51
Pantolamprus sulcicollis, 618
panzeri, Ectobius, 44
papuensis, Amphiprion, 199
  Hortizoteichos, 610
Parabezzia, 61
  elegantula, 62
  petiolata, 61
  poikiloptera, 62, 83
Paracapiophonus, 614
Paracardiophorus, 614
Paracrostoma, 383
  hugeli, 383
Paradaxon, 614
Paradoxon, 614
Paradima, 614
  tattakensis, 614
Paradjidaumo, 433
  minor, *409*, 430
  spokanensis, *409*
  trilophus, 409
paradoxa, Nephthys, 271
  Nephtys, 207, 267, 269 (fig.), *271*
Paragonimiasis, 378
Paralithodes camtschatica, 224
Paramelania, *371*, 372, 373
  damoni, 371
Paramelaniinae, 373
Paranaitis wahlbergi, 236
Parapomachilius, 601
Parascaptor, 407
Parastirus, 614
Parathous, 614
  sanguineus, 614
Parcoblatta, 43, 45, 50
Parictis, 421, 432, 433
  bathygenus, 421
  dakotensis, 420, 430
Paroedostethus, 614
  relictus, 614
parumcostatus, Ipostirus, 611
  Ludius, 611
Parupeneus, 515
parviceps, Ambrysus, 6
Parvistoma, 614

parvulus, Bolborhombus, 99 (fig.), 115 (map), 117, *118*, 119
parvus, Upeneoides, 528
Upeneus, 499, 500 (table), 501, 502 (tables), 503, 504 (table), 505 (tables), 508, *528*
paterculus, Hesperocyon, *416*, 417 (fig.), 430
Patricia, 614
australica, 614
paucicostata, Edgaria, 372
paulistensis, Stilobezzia, 71
paululus, Hypisodus, 430
Peasiella, 462
Pectinaria, *311*
(Cistenides), 311 (key)
brevicoma, 312
(Cistenides) brevicoma, 312
granulata, 208, 313 (fig.)
(Cistenides) granulata, 311, *312*
hyperborea, 208, 313 (fig.)
(Cistenides) hyperborea, 311, *314*
sp., 307
Pectinariidae, 208 (table), 212, *310*, 313 (figs.)
pectinicornis, Elater, 606, 607
Pectocera, 614
messi, 605
Pectoerra, 614
Pectora, 614
peculiaris, Marbenia, 555, 556
pelagica, Chaetura, 537
Nereis, 207, 264, 269 (fig.)
Nereis (Nereis), *264*
pellucida, Planaria, 167
Peltosaurus sp., 401
Penecurva, 168
Pengamethes, 614
fulvicollis, 614
peninsularis, Bolbocerastes, 99 (fig.), 105, 112, 114 (map), *116*
Bolboceras serratus, 116
Bradycinetus serratus, 116
peninsulatus, Paleocastor, 408
Peratherium fugax, *402*
titanelix, 402, 430
Perca polymna, 194
Perchoerus, 433
minor, 430
nanus, 430
percula, Actinicola, 191
Amphiprion, 188, *191*, 192, 193
Lutjanus, 188, 191
Prochilus, 191
peregrinorum, Oxytrema, 368
perideraion, Amphiprion, 188, *191*, 192
Prochilus, 191
Periplaneta, 46, 50, 53
Periscelidae, 551, *552*, 555 (key), 556 (list), 557, 560
Periscelis, 551, *552* (key), 555, 556
annulata, 552, *553*, 556
annulipes, 556
nebulosa, 553, 556
occidentalis, 552, 553, *554*, 555, 556
wheeleri, 552, *553*, 556
winnertzi, 556
Perissodactyla, *421*, *432*
Peritropis, 624
Peritropoides, *622*
annulatus, 624, *625*, 628
quadrinotatus, *625*, 626 (fig.), 627 (fig.), 629 (fig.)
Peromyscus, 410
persica, Nereis zonata, 266
personata, Nicomache, 208, 301 (fig.), 305, *306*
perspicillaris, Ectobius, 41
peruvianus, Tapirus (terrestris), 479, 481, 485
Petaloproctus, 302, *306*
filifer, 306, 307
tenuis, 208, 301 (fig.), *306*
tenuis borealis, 306, 307
petiolata, Parabezzia, 61
Pettibone, Marian H.; Marine polychaete worms from Point Barrow, Alaska, with additional records from the North Atlantic and North Pacific, 203
pfeifferianus, Litorina (Tectarius), 459
Phagocata, 164, 166, 167, 168, 566
albissima, 165, 167
cavernicola, *563*, 565 (fig.)
coarctata, 167
morgani, 165, 167, 168
nivea, *164*, 167 (fig.), 179, 180, 182
subterranea, 566
vitta, 165, 167
Phalerebus, 188, 190
Pharotarsus, 614
phaseopygus, Chaetura griseiventris, 539
Phedomenus flavangulus, 608
Pherhimius, 615
Phibisa, 615
philippina, Wetmorella, 439, 440, 446, 447
Wetmorella philippina, 440, 441 (fig.), 442, 443, 445
philippinensis, Geckobia, *12*, 13 (fig.), 14 (fig.)
philippinus, Upeneoides, 516
phillipsi, Upeneus, 498, 528, 529
Philodendron sp., 631
phoenicobia, Tachnornis phoenicobia, 543
Pholoë, 228, *230*
minuta, 206, 229 (fig.), *230*
tuberculata, 230
Phorocardius, 615
solitarius, 608
Phorotarsus, 614
Phorticoides, 556
flinti, 553, 556
phosphorea, Eusyllis, 260, 261
Photinus consanguineus, 36
pyralis, 35, 36
Photuris, 35
bethaniensis, *36*

bethaniensis, a new Lampyrid firefly, 25
fairchildi, 37
hebes, 36
lucricrescens, 36, 37
versicolor, 35, 36
phyllobranchia, Nephthys, 271
Nephtys, 271, 272
Phyllodoce, *236*
citrina, 236
groenlandica, 206, 236, 237 (fig.)
(Anaitides) groenlandica, *236*
mucosa, 236
Phyllodocidae, 206 (table), 212, *231* (key), 237 (figs.)
Piaya, 586
piceus, Malekula, 612
picta, Hartomyia, 75
Nodilittorina, 450
Stephanosyllis, 246
picticolle, Cephaloon pallens, 161
pictus, Ceratopogon, 75
piegeti, Dennyus, 533
Piesophyllus, 600, 601, 606
spencei, 601, 606
pilosa, Brada, 290, 291
Pilsbrychilus, *366*
pilsbryi, Pachychilus, 365
Pachychilus (Oxymelania), 376
pinchacus, Tapirus, 471, 480
Pinchacus, *469*, 471
aenigmaticus, 471
leucogenys, 471
pinchaque, 471
terrestris, 471
villosus, 471
pinchaque, Pinchacus, 471
Tapir, 471
Tapirus, 465, 466, 467, 468, 469, *471*, 478, 479, 482 (fig.), 483 (fig.), 484, 487 (fig.), 489, 493 (map), 495 (map)
pinctado, Littorina, 450
pinnivittatus, Mulloides, 513
Pionosyllis, 242, *262*
compacta, 205, 207, 243 (fig.), *262*
magnifica, 261, 262
piriformis, Dendrocoelopsis, *174*, 177 (fig.), 178, 180
Pista, 320, 323
flexuosa, 226
groenlandica, 324
maculata, 205, 209, 319 (fig.), *323*, 325
Placonides, 615
Planaria pellucida, 167
Planariidae, 164, *563*
Planaxidae, 357, 358, 387
Platycrepidius, 618
plena, Oxytrema (Strephobasis), 361
Pleonomus argentatus, 613
niger, 616
Plesiotis, 432, 433
priscus, 430
Pleurocera, 359, 360, *362*, 363
acuta, 360
(Ocytrema) acuta, 260
alveare, 364
(Ellipstoma) gibbosa, 363
verucosa, 362
zonalis, 363
Pleuroceridae, 357, 358, 359, 363, 365, *367*, 369, *370*, 374, 375, 376, 377
Pleurocerinae, 358, *359*, *364*, *367*, 369, 370
Pleurocerus (Oxytrema) acutus, 360
pliacus, Ischyromys, *408*, 430
plicifera, Oxytrema, 360
Ploconides, 615
Plotia, 379
Plotiopsis, 378
balonnensis, 378
pluribranchiata, Stylaroides, 290, 291
Podocera, 556, 560
ramifera, 560
Poëbrotherium, 433
eximium, *426*, 430
poeyi, Phopalosoma, 19
poikiloptera, Parabezzia, 62, 83
polita, Allohelea, 138
Johannseniella, 138
Johannsenomyia, 138
Schizohelea, 138
Sphaeromias, 138
politus, Ceratolophus, 138
Ceratopogon, 138
Polybostrichus, 241, 247, 248, 251 (fig.)
longosetosus, 242, 247, 249, 250
Polycelidia, 171
Polycelis, 163, *168*, 169, 171, 172, 173, 182, 183 (map), 184
auriculata, 171, 172
borealis, *168*, 171 (fig.), 172, 182
coronata, 171, 172
eburnea, 172
elongata, 172
eudendrocoeloides, 172
eurantron, 172
felina, 172
karafto, 171, 172
koslowi, 172
linkoi, 172
nigra, 172
oculi-marginata, 172, 182
polyopis, 172
receptaculosa, 172
relicta, 172
sabussowi, 172
sapporo, 172
schmidti, 171, 172
tenuis, 172
tibetica, 172
Polychaeta, *211* (key)
Polycirrus, 320, *328*
medusa, 209, *328*, 331 (fig.)
sp., 328
Polydora, *280*, 281
brachycephala, 280, 281
caulleryi, 207, *280*, 281, 283 (fig.)
polylepis, Prochilus, 200
polymna, Anthias, 198
Perca, 194

polymnus, Amphiprion, 189, 193, *194*, 197, 198, 200
Anthias, 191
Prochilus, 198
Polynoë arctica, 217
cirrata, 220
extenuata, 222
floccosa, 222
foraminifera, 217
gracilis, 225
islandica, 217, 218
nodosa, 217, 219
rarispina, 222
sarsi, 215
scabra, 217, 218, 219
semisculpta, 222
semisculptus, 222
spinulosa, 217
Polynoidae, 206 (table), 212, *213*, 214 (key), 229 (figs.)
polyopis, Polycelis, 172
Polyprotodontia, *402*
portentus, Mesohippus, 430
Potadoma, *370*
freethii, 370
Potadominae, 371
Potamanax, 365, 376
Potamididae, 449
Potamilla, 334, *335*
acuminata, 336
neglecta, 209, 333 (fig.), *335*
reniformis, 209, 333 (fig.), 335, *336*
torelli, 336
Practapyrus, 615
descarpentriesi, 615
praerosa, Leptoxis, 361, 362
praetermissa, Clymene (Praxillella), 303
Praxilla, 303
Praxillella, 208, 301 (fig.), *303*
Praxilla praetermissa, 303
Praxillella, 302, *303*
praetermissa, 208, 301 (fig.), *303*
prezevalskii, Equus, *424*
prima, Diopsosoma, 556
Prionospio, 280, *282*
malmgreni, 207, *282*, 283 (fig.)
tenuis, 282
priscus, Plesictis, 430
prismatica, Nereis, 247, 249
prismaticus, Autolytus, 207, 242, 244, 245, 246, 247, *249*, 251 (fig.)
Pristilophus, 615
sericans, 616
Pristolophus, 615
Probezzia elegantula, 62
procera, Nereis, 266
Proceraea gracilis, 250
(Stephanosyllis) ornata, 246
Prochilos ephippium, 199
Prochilus, 188
akallopisos, 188, 190
bifasciatus, 193, 194
macrostomus, 201
melanopus, 201
percula, 191
perideraion, 191
polymnus, 198
polypepis, 200
Proclea, 320, *325*
graffi, 325
graffii 209, *325*
Prodrasterius, 615
Progne chalybea chalybea, 549
Prolacon, 615
allaudi, 615
prolifer, Autolytus, 244, 245, 247, 249, 250
Promerycochoerus montanus, *426*
Proneomysis wailesi, 582
propinqua, Harmothoë, 222
Harmothoë rarispina, 222
Lagisca, 222
Proquasimus, 615
Prosciurus, 431, 433
jeffersoni, 430
relictus, *408*
vetustus, 430
Prosternon, 600
Prosynthetoceros, 428
Protemnocyon, 420
pruinosa, Stilobezzia, 59, 60, 61, 79
Stilobezzia (Stilobezzia), 73 (fig.), *79*
Psammate aphroditoides, 239
Psephus cyaneus, 611
Pseudathous, 615
Pseudocylindrodon, 432, 433
neglectus, 430
Pseudoderomecus, 616
Pseudo-Elater, 616
pseudomacropsis, Acanthomysis, 582
Pseudomma truncatum, 581
Pseudonomopleus, 616
Pseudoplotia, 378
scabra, 378
Pseudopotamilla intermedia, 337
reniformis, 337
Pseudopristilophus, 616
Pseudoprotoceras, 433, 434
longinaris, 430
Pseudopterodon, 434
minutus, 430
Pseudosabellides, 318
lineata, 318
Pseudostirus, 616
Pterygosomidae, 10
pudicus, Ambrysus, 6
puerilis, Leucophea, 53
puertoricensis, Strabala ambulans, 125 (fig.), 127, *132*
Pugetomysis literalis, 581
pulchripennis, Sphaeromyas, 137
Pulchronotus, 616
puncticollis, Ambrysus, 6
punctipes, Stilobezzia, 58, 60, 61
Stilobezzia (Stilobezzia), 72 (fig.), 79
punctulata, Stilobezzia (Stilobezzia), 81
pupa, Travisia, 296
pupieri, Ctenicera, 615
purpureus, Elater, 614
Pycnoscelus, 45, 51
surinamensis, 45, 51

pyralis, Photinus, 35, 36
pyramidalis, Littorina, 451, 456
Nodilittorina, *456*, 460
pyrsolepis, Adelocera, 608
Lepidotus (Diphyaulon), 608
Pythidae, 158

quadrangularis, Spirorbis, 343
quadratus, Hapithus agitator, 23, 24
quadridens, Bolboceras, 101
Scarabaeus, 101
quadrinotatus, Peritropoides, *625*, 626 (fig.), 627 (fig.), 629 (fig.)
quadripunctatus, Meristhus, 617
quadristillatus, Fulvius, 627 (fig.), 631
quadrivittatus, Betarmon, 611
Quasimus setosus, 606
quaternaria, Syllis, 253, 254

rabelloi, Stilobezzia, 59, 60, 61, 81
Stilobezzia (Stilobezzia), 72 (fig.), *81*
radiata, Amphitrite, 321
Radina, 380
ramifera, Podocera, 560
Rangifer arcticus, *424*
caribou, *424*
Raphaea, 616
vitida, 616
rarispina, Harmothoë, 222
Lagisca, 222
Polynoë, 222
Rastrocephalus, 616
rayii, Neomysis, 582
receptaculosa, Polycelis, 172
rectangularis, Colaulon, 606
reedi, Eotylopus, 430
regalis, Bolbocerastes, 99 (fig.), 105, *106*, 109, 112, 115 (map)
relicta, Polycelis, 172
relictus, Paroedostethus, 614
Prosciurus, *408*
reniformis, Potamilla, 209, 333 (fig.), 335, *336*
Pseudopotamilla, 337
Samella, 336
Reptilia, *401*
revelieri, Athous, 603
Review of the Atlantic periwinkles, Nodilittorina, Echininus, and Tectarius, 449
rex, Bradycinetulus, 99 (fig.), 102, *103* 114 (map)
Rhaciaspis, 616
Rhinoceretidae, *425*, 432, 433
Rhinochoerus, 477
Rhino(choerus) villosus, 471
Rhopalosoma, 19, 20, 21, 22, 23, 24, 25, 27 (figs.), 29 (figs.), 31, 32, 33
aenigmaticum, 19
nearcticum, 19, 20, 24, 32
Notes on the biology and immature stages of a cricket parasite of the genus, 19
poeyi, 19
Rhopalosomatidae, 19
Rhopalosomidae, 19
Rhyparobia, 45
maderae, 45
richmondi, Chaerura, 537
Dennyus, 533, 535, 537
rickettsi, Nephtys, 270, 271
riparius, Elater, 606, 610
Risella, 462
Risellidae, 462
Riselloidea, 462
Risellopsis, 462
Rismethus, 616
Rjabuschinskya, 172
robusta, Amphitrite, 322
Meterythrops, 580
Neoamphitrite, 322
robustus, Cirratulus, 286
Hoplophoneus, 430
Rodentia, *408*, *431*
Roggeveenia, 616
buxtoni, 616
rohan-chaboti, Ameidioides, 602
rosenbergi, Amphiprion, 191
Rostricephalus, 616, 617
vitalisi, 617
rotunda, Strabala, 125 (fig.), 127, *130*, 133
rotundatus, Lophogaster, 577
rotundipennis, Neoscutops, 555, 556
rotundocapitis, Dennyus, 535, 541 (fig.), *543*, 549
roulini, Tapirus, 471, 473, 476, 480
roulinii, Tapirus, 466, 471, 472, 476, 479
rubiginosus, Melanoxanthus, 601
rubrocinctus, Amphiprion, 199
rubrovittatus, Vannius, 629
rudis, Littorina, 462
rufa, Disonycha, 122
Haltica, 121, 122, 123, 127
Strabala, 125 (fig.), 126, *127*, 128, 129
ruficollis, Agonischius, 605
rufofilosa, Tanganyicia, 387
rufofilosus, Lithoglyphus, 387
rufus, Tapirus, 479, 481, 485
ruginosum, Aylacostoma, 377
rugosa, Brada, 290, 291, 292
Trophonia, 290
rüppeli, Amphiprion, 199
Rygodonus, 617
Rymcobites, 617
singularis, 617

sabatyra, Tapyra, 479, 481, 485
sabella, Fabricia, 299
Sabella, *334*
analis, 339
crassicornis, 209, 333 (fig.), *334*
fabricii, 334
granulata, 312
lumbricalis, 305
neglecta, 335
reniformis, 336
spetsbergensis, 334
spitzbergensis, 334
Sabellariidae, 208 (table), 212, 301 (figs.), *307*

Sabellidae, 209 (table), 211, *332*, 333 (figs.), 334 (key), 341 (fig.)
Sabellides sibirica, 318
sabussowi, Polycelis, 172
Sacconereis, 241, 246, 248, 250, 251 (fig.)
Saccopsis terebellidis, 330
sakurae, Cephaloon, 161
Salinator maculata, 385
saltator, Orocharis, 22, 23, 24
sanguineus, Parathous, 614
sanguinipennis, Georgicus, 609
Saphromyzidae, 553
sapporo, Polycelis, 172
sarsi, Antinoë, 205, 206, *215*
Antinoëlla, 215
Eteone, 235
Harmothoë, 215
Harmothoë (Antinoëlla), 215
Maldane, 208, 301 (fig.), *303*
Polynoë, 215
Sauria, *401*
saxatilis, Aeronautes s., 537, 538
Littorina, 462
scabinula, Meristhus, 616
scabra, Aphrodita, 217
Lepidonote, 219
Litorina, 458
Littorina, 458
Polynoë, 217, 218, 219
Pseudoplotia, 378
scalare, Aylacostoma (Aylacostoma), 376
scalaris, Melania, 375
Scale-mite parasites of lizards, Two new, 9
Scalibregma, *293*
brevicauda, 293, 294
inflatum, 208, *293*, 297 (fig.)
mintum, 293, 294
Scalibregmidae, 208 (table), 213, *293*, 297 (figs.)
Scalopinae, 403
Scalopus aquaticus, 404
Scapatochirus, 407
Scarabaeus cephus, 101
cyclops, 101
farctus, 101
ferrugineus, 101, 102
gallicus, 97
lazarus, 95, 101
mobilicornis, 101
mobilicornis testaceus, 101
quadridens, 101
Sceloporus, 15
undulatus, 9, 15
schaefferi, Bolboceras, 117, 119
Bolborhombus, 99 (fig.), 114 (map), 117, *119*
schiedianus, Oxymelania, 365
Schizohelea, *137*
copiosa, 138
leucopeza, 138
polita, 138
schmidti, Polycelis, 171, 172
schmitti, Lophogaster, 577, 578
schotti, Agryphus, 611
Lanelater, 611
schusteri, Cardiophorus, 611
scobinula, Meristhus, 612, 616
Scoliocerus, 603
scotti, Archaeotherium, 430
Schultz, Leonard P.; Review of the Indo-Pacific anemone fishes, genus Amphiprion, with description of two new species, 187
And Marshall, N. B.; A review of the labrid fish genus Wetmorella with descriptions of new forms from the tropical Indo-Pacific, 439
Sciaena unimaculata, 194
Scione lobata, 323
Sciuravidae, *408*
Scoloplos, *278*
armiger, 207, *278*, 283 (fig.)
sculpta, Acanthomysis, 582
sculpticauda, Eucopia, 578
scutata, Sternaspis, 208, *309*, 313 (fig.)
Thalassema, 309
scutellaris, Altica, 121
Haltica, 123
Lactica, 122, 123, 129, 130
Strabala, 122, 123
scutellata, Strabala, 121
Scutops, 555, 556
chapmani, 556
fascipennis, 555, 556
maculipennis, 555, 556
sebae, Amphiprion, 189, 192, *197*
Seidlia, 172
Selatosomus guttatus, 610
semicarinata, Oxytrema, 367
semigranosa, Melania, 379
Tarebia, 379
Semiotinus, 617
semisculpta, Polynoë, 222
semisculptus, Polynoë, 222
Semisinus, 375
Semisulcospira, *369*
libertina, 369
Semisulcospirinae, 369
sequax, Ceratopogon, 135
sericans, Pristilophus, 616
Sermyla, *380*
kowloonensis, 380
mauiensis, 380
tornatella, 380
Serpentes, *402*
Serpula granulata, 343
spirillum, 344
Serpulidae, 209 (table), 211, 341 (figs.), 342
serrata, Inusitatomysis, 581
serraticornis, Dicronychus, 609
serratus, Amechanus, 113
Athyreus, 113
Athyreus (Bradicinetus), 113
Bolboceras (Amechamus), 113
Bolbocerastes, 99 (fig.), 106, 107, 108, 109, 112, *113*, 115 (map)
Bradycinetulus, 113
Bradycinetus, 113

Serropalpidae, 159
Setaera, *379*
setosa, Brada, 290, 291
Chaetozone, 207, *287*, 297 (fig.)
Glycera, 272
Spio, 284
Thiara, 379
setosus, Quasimus, 606
Sheppardiconcha, 367
sibirica, Asabellides, 208, *318*, 319 (fig.)
Sabellides, 318
Sicardius, 617
longicornis, 617
siccata, Melania, 381
siculus, Ectobius, 41
Sigalionidae, 206 (table), 211, *228*
signoreti, Ambrysus, 6
silicula, Oxytrema, 360
similis, Dennyus, 534, 535, 541 (fig.), *549*
Simocyoninae, 420
simplex, Geckobia, 12
Nicolea, 323
simulans, Drachylis, 158, 160
simus, Cyclopidius, *426*
Sinclairella, 434
singularis, Rymcobites, 617
Siphonostoma inhabile, 292
villosum, 290
Siriella thompsonii, 580
Sisenes, 88
sjaelandica, Ctenicera (*Malloea*), 600
Elater, 600
smitti, Ereutho, 328
snyderi, Amphiprion, 198
soemmerringii, Gazella, *424*
Solenodontidae, *403*
solitarius, Phorocardius, 608
sordidus, Vasaces, 87, 89, *92*
Soricidae, 407
soricina, Glassophaga soricina, 465
Soricinae, 434
Soricoidea, 407
soriniana, Antimelania, 382
Sorocelides, 171
Sorocelis americana, 566
Sparus milli, 198
speciosissima, Cattleya, 632
spectabilis, Cirratulus, 286
spegazzinii, Tapirus, 480, 481, 484, 485, 486
Tapirus terrestris, 480, 493 (map)
Spekia, *371*
sonatus, 371
spencei, Piezophyllus, 601, 606
Speophila *hoffmasteri*, 567 (fig.), 569 (fig.), *570*, 571 (fig.)
spetsbergensis, Eteone, 206, 233, *235*
Sabella, 334
Sphaeromelania, 366
largillierti, 365
Sphaeromias polita, 138
Sphaeromyas pulchripennis, 137
Sphaerosyllis, 242, *255*
erinaceus, 207, 243 (fig.), *255*
latipalpis, 256, 257
longicauda, 256, 257
Sphaloplana *georgiana*, 565 (fig.), *566*, 567 (fig.), 569 (fig.)
Sphenicosomus, 617
Sphyroperiscelis, 551, 552, 554, 556
spiloderus, Diploconus, 615
spinicauda, Chaetura spinicauda, 542
spiniger, Dennyus, 533, 535
spininotus, Dennyus, 536, 541 (fig.), *547*
spinosa, Io, 364
spinosipenis, Dendrocelopsis, 176
Dendrocoelopsis, 177, 178
spinosus, Lophogaster, 577
spinulosa, Lagisca extenuosa, 222
Polynoë, 217
Spio, 280, *284*
filicornis, 207, 283 (fig.), *284*
filicornis pacifica, 284
limicola, 284
setosa, 284
Spionidae, 207 (table), 212, *280* (key), 283 (figs.)
Spiophanes tenuis, 282
spirillum, Circeis, 344
Dexiospira, 344
Serpula, 344
Spirorbis, 209, 341 (fig.)
Spirorbis (Dexiospira), 343, *344*
Spirorbis, *342*, 343 (key)
granulatus, 209, 341 (fig.)
(Lacospira) granulatus, *343*
quadrangularis, 343
spirillum 209, 341 (fig.)
(Dexiospira) spirillum, 343, *344*
spitzbergensis, Sabella, 334
spokanensis, Eumys, *411*, *413*, 414 (fig.)
Paradjidaumo, *409*
Sponidium, 158
Squamata, *401*
Stanleya, *388*
neritinoides, 388
stecki, Beezia, 138
steenstrupii, Myxicola, 340
Stelobezzia diversa, 59, 60, 61, 76
Stenocephaloon, 159
metallicum, 159
Stenomelania, *380*, 381
aspirans, 380
Stenomicra, 551, 557, *560*
angustata, *560*
Stenotrachelus, 159
Stephanosyllis ornata, 246
picta, 246
Sternaspidae, 208 (table), 213, *309*, 313 (figs.)
Sternaspis, *309*
scutata, 208
fossor, 209
islandica, 309
scutata, 208, *309*, 313 (fig.)
scutata africana, 309
Sternocampsus, 617
villosus, 617

Stibarus montanus, 430
sp., 430
Stilobezzia, *57*, 58 (key), 61 (table), 63, *68*, 72 (figs.), 73 (figs.), 135
(Eukraiohelea) aberrans, 61
(Eukraiohelea) africana, 63
antennalis, 59, 60, 61, 68
(Stilobezzia) antennalis, *68*, 73 (fig.), 83
beckae, 59, 60, 61
(Stilobezzia) *beckae*, *69*, 72 (fig.), 82
bicolor, 59, 60, 61, 71
(Stilobezzia) bicolor, *71*, 72 (fig.)
Biting midges of the heleid genus, in North America, 57
bulla, 59, 61, 74, 83, 84
(Stilobezzia) bulla, 73 (fig.), *74*, 84
coquilletti, 58, 60, 61, 75
(Stilobezzia) coquilletti, 72 (fig.), *75*
(Stilobezzia) diversa, 73 (fig.), *76*, 79
elegantula, 58, 60, 61
(Eukraiohelea) elegantula, *62*, 72 (fig.)
(Eukraiohelea) esakiana, 61, 62
fiebrigi, 76
fuscula, 58, 59, 61, 64
(Neostilobezzia) fuscula, *64*, 72 (fig.)
glauca, 59, 60, 61, 77, 85
(Stilobezzia) glauca, 73 (fig.), *77*
(Stilobezzia) kiefferi, 81
limnophila, 83
lutea, 58, 60, 61, 65, 68
(Neostilobezzia) lutea, *65*, 72 (fig.)
macfiei, 65
mallochi, 65, 66
pallidiventris, 59, 61, 78
(Stilobezzia) pallidiventris, *78*
paulistensis, 71
pruinosa, 59, 60, 61, 79
(Stilobezzia) pruinosa, 73 (figs.), *79*
punctipes, 58, 60, 61
(Stilobezzia) *punctipes*, 72 (fig.), *79*
(Stilobezzia) punctulata, 81
rabelloi, 59, 60, 61, 81
(Stilobezzia) rabelloi, 72 (fig.), *81*
stonei, 58, 60, 61
(Neostilobezzia) *stonei*, *66*, 72 (fig.)
sybleae, 59, 60, 61
(Stilobezzia) *sybleae*, 73 (fig.), *82*
thomsenae, 59
(Stilobezzia) *thomsenae*, 73 (fig.), *83*
ugandae, 62
viridis, 59, 60, 61, 78, 84
(Stilobezzia) viridis, 73 (fig.) *84*
stonei, Monohelea, 137, 139, 146 (fig.), 147 (fig.)
Monohelea (Monohelea), *148*, 149, 150
Stilobezzia, 58, 60, 61
Stilobezzia (Neostilobezzia), *66*, 72 (fig.)
Strabala, 121, 122, 123, 124, 125 (figs.), *126*, 127 (key)
acuminata, 125 (fig.), 127, *128*
acuminata costaricensis, 125 (fig.), 127, *129*
acuminata teapensis, 125 (fig.), 127, *129*
ambulans, 125 (fig.), 127, *131*
ambulans *jamaicensis*, 125 (fig.), 127, *131*
ambulans *puertoricensis*, 125 (fig.), 127, *132*
Chrysomelid beetles of the genus, 121
columbiana, 125 (fig.), 127, *130*
dominicensis, 121
ferruginea, 122, 125 (fig.), 127, *130*
haematina, 134
intermedia, 121, 122, 125 (fig.), 127, 131, *133*
languida, 122
nigriceps, 122
rotunda, 125 (fig.), 127, *130*, 133
rufa, 125 (fig.), 126, *127*, 128, 129
rufa *floridana*, 125 (fig.), 127, *128*
scutellaris, 122, 123
scutellata, 121
sp., 134
trinitatis, 125 (fig.), 127, *134*
Strephobasis, *361*
Streptoprocne zonaris albicincta, 548
striata, Eteone, 233
strictus, Neonomopleus, 613
stroemii, Terebellides, 209, *330*, 331 (fig.)
strophensis, *Kentrogomphios*, *404*, 405 (fig.), 406 (fig.), 430
Strophitus, 370
Sturtevant, A. H.; Nearctic flies of the family Periscelidae (Diptera) and certain Anthomyzidae referred to the family, 551
Stylaroides pluribranchiata, 290, 291
Subathous, 617
tonkinensis, 617
Subathrus, 617
subglaber, Lophogaster, 577
sublaevis, Brada, 292
submetallicus, Hemirhipus, 609
subnodosa, Nodilittorina, 456
subterranea, Phagocata, 566
subtilis, Cosmesus, 601
Mesembris, 601
subvittatus, Mullus, 513
Upeneus, 498, 514, 522, 524
suifuensis, Melanoides, 380
suillus, Tapir, 477, 479, 481, 485
sulcicollis, Pantolamprus, 618
Sulcilacon, 617
Sulcimerus, 617
sulcirostris, Crotophaga, 590
sulcospira, Melania, 381
Sulcospira, 381
Sulcospira, *381*
sulcospira, 381

sulphureus, Upenecoides, 513, 514
Upeneus, 500 (table), 501, 502 (tables), 504 (table), 505 (tables), 506, 508, 510, *513*, 514 (table)
sulphuripennis, Corymbites, 616
sundaicus, Upenecoides, 507
Upeneus, 507, 519
Supella supellectilium, 40
supellectilium, Supella, 40
surinamensis, Blatta, 45
Pycnoscelus, 45, 51
sybleae, Stilobezzia, 59, 60, 61
Stilobezza (Stilobezza,) 73 (fig.), *82*
Syllidae, 207 (table), 212, *240*, 241 (key), 243 (figs.), 251 (figs.)
Syllis, 241, *252* (key)
alternata, 253, 254
armillaris, 254
cornuta, 205, 207, 243 (fig.), 252, 254
(Ehlersia) cornuta, *253*
fasciata, 205, 207, 243 (fig.)
(Typosyllis) fasciata, *254*
heterochaeta, 254
(Ehlersia) heterochaeta, 253
monilicornis, 260
oerstedi, 253
quaternaria, 253, 254
symmetrica, Oxytrema, 360
Syndyoceros, 428
Syspotamus, 477

Tachornis phoenicobia phoenicobia, 543
taeniopterus, Upeneus, 507
Taiwanathous, 617
arisanus, 617
Takamatsuia major, 543
Talpa, 431, 434
sp., 430
Talpidae, *403*
Talpinae, 403
Tanganyicia, 373, 382, *387*, 388
rufofilosa, 387
tanschaurica, Paludomus, 369
tapir, Hydrochaerus, 479
Tapirus, 481, 485, 493 (map)
Tapirus terrestris, 488, 493 (map)
Tapir, 477
(Anta), 489
americanus, 479
anta, 477, 479, 481
maypuri, 479, 481, 485
pinchaque, 471
sp., 486
suillus, 477, 479, 481, 485
Tapirella, 478, *488*
bairdii, 490
dowi, 490
tapirus, Tapirus, 466, 480
Tapirus, *466*, *467*, 470, *477*, 489
acnigmaticus, 477, 479, 481, 485
americanus, 476, 477, 479, 480, 481, 485, 488
americanus mexianae, 480, 481, 485
andicola, 472
anta, 481, 485
antea, 476
anulipes, 480, 481, 484, 485, 486
bairdi, 490
(Elasmognathus) bairdi, 489
bairdii, 465, 466, 467, 468, 469, 473, 478, 482 (fig.), 483 (fig.), 488, *489*, 490, 493 (map), 495 (map)
(Tapirella) bairdii, *489*
bairdii dowii, 491
brasiliensis, 481, 485
dowi, 490, 492
dowii, 480, 484, 490, 491
enigmaticus, 471, 493 (map)
ecuadorensis, 479, 481, 485
excelsus, 468
indicus, 465, 469
(Acrocodia) indicus, 467, 489
laurillardi, 479, 481, 485
leucogenys, 469, 471, 472, 474, 476, 477, 479
Northern Colombia species, 465
pinchacus, 471, 480
pinchaque, 465, 466, 467, 468, 469, *471*, 478, 479, 482 (fig.), 483 (fig.), 484, 487 (fig.), 489, 493 (map), 495 (map)
pinchaque brasiliensis, 479
roulini, 471, 473, 476, 480
roulinii, 466, 471, 472, 476
roulinii brasiliensis, 479
rufus, 479, 481, 485
spegazzinii, 480, 481, 484, 485, 486
tapir, 481, 485, 493 (map)
tapirus, 466, 480
terrestris, 465, 466, 467, 468, 469, 471, 476, 477, 478, 479, 480, 481, 482 (fig.), 483 (fig.), 484, 485, 486, 487 (fig.), 488, 490, 492
(Hippopotamus) terrestris, 480
terrestris *colombianus*, *486*, 490, 493 (map), 495 (map)
terrestris guianae, 480, 481, 485
terrestris laurillardi, 479
(terrestris) peruvianus, 479, 481, 485
terrestris spegazzinii, 480, 493 (map)
terrestris tapir, 488, 493 (map)
terrestris terrestris, 476, *479*, 493 (map)
villosus, 471
Tapyra, 477
sabatyra, 479, 481, 485
Tarebia, *378*, *379*
granifera, 379, 386
lateritia, 378, 379
semigranosa, 379
tarsalis, Gonodyrus, 610
tattakensis, Paradima, 614
Tayussidae, 432
teapensis, Strabala *acuminata*, 125 (fig.), 127, *129*

Tectaria montrouzieri, 451
Tectarius, 449, 450, 454, 455 (fig.), 458, 461, *462*
coronarius, 461
muricatus, 449, 450, 452, 453 (fig.), 454, 455 (fig.), 457 (fig.), 459, 460, *462*
nodulosus, 462
tuberculatus, 449, 451, 454
Tectininus, *458*
telonaria, Melania, 368
Oxytrema, 368
temnodon, Paleolagus, *415*, 430
Tenalomus, 618
fulvipennis, 618
tenebricosa, Hemiblabera, 46
tenebrosa, Io, 364
Tenebrionidae, 155
Tenebrionidea, 155
tenuicorne, Cephaloon, 157 (map), 158, 160
tenuicornis, Corymbites, 614
tenuis, Euchaetomera, 580
Maldane, 306
Petaloproctus, 208, 301 (fig.), *306*
Polycelis, 172
Prionospio, 282
Spiophanes, 282
Terebella maculata, 323
venustula, 322
Terebellidae, 209 (table), 212, *318*, 319, (fig.), 320 (key), 331 (figs.)
Terebellides, 321, *330*
stroemii, 209, *330*, 331 (fig.)
stroemii japonica, 330
terebellidis, Saccopsis, 330
terrestris, Hippopotamus, 479
Pinchacus, 471
Tapirus, 465, 466, 467, 468, 469, 471, 476, 477, 478, 479, 480, 481, 482 (fig.), 483, (fig.), 484, 485, 486, 487 (fig.), 488, 490, 492
Tapirus (Hippopotamus), 480
Tapirus terrestris, 476, *479*, 493 (map)
tessellata, Monohelea, 147 (fig.), 150, 152, 153
Monohelea (Monohelea), 152
tessellatus, Corymbites, 600
Elater, 600
testacea, Altica, 122
testaceus, Scarabaeus mobilicornis, 101
Tetralobus macrocerus, 600, 601
texana, Monohelea., 136, 147 (fig.)
Monohelea (Monohelea), *143*
texana, Geckobia, 15
Geckobiella, 9, *15*, 16 (fig.), 17 (fig.)
texensis, Chorisoneura, 42
Thacana, 618
Thalassema scutata, 309
Thelepus, 320, *327*
cincinnatus, 209, *327*, 331 (fig.)
circinnatus, 327
hamatus, 327
thermarum, Ambrysus, *1*, 3 (fig.)
theryi, Jonthadocerus, 611
Thiara, *378*, *379*, *386*
amarula, 378
(Thiara) amarula, 379
cancellata, 378, 379
(Setaeara) cancellata, 379
setosa, 379
thiarella, Litorina, 451
Thiaridae, 357, 358, 366, 367, 372, 373, *374*, *375*, 377, *378*, *386*, 461
Thiaropsis, 378
winteri, 378
thompsoni, Domnina, 430
Eutypomys, 430
Ictops, 430
Limnotrochus, 371
thompsonii, Siriella, 580
thomsenae, Stilobezzia, 59
Stilobezzia (Stilobezzia), 73 (fig), *85*
thomsonii, Gazella, *424*
thoracicus, Elater, 605
tibetica, Polycelis, 172
tibialis, Nitzschia, 538
Nitzschia pulicaris, 538
Tinecus, 618
Tiphobia, 372, *373*, 374
horei, 373, 374
Tiphobiidae, 373
Tiphobiinae, 358, 372, *373*
titanelix, Peratherium, 402, 430
Titanotheres sp., 430
Titanotheriomys, 431, 433, 434
veterior, *408*, 430
tokisensis, Upeneoides, 509
tonkinensis, Subathous, 617
torelli, Potamilla, 336
tornata, Melanoides, 371
tornatella, Sermyla, 380
toucheana, Oxytrema, 368
tragula, Upeneus, 500 (table), *502* (tables), 503, 504 (table), *505* (tables), 506, 507, 509, 510, 511, 514, 521 (table), *522*, 524 (table), 526 (table), 527
tragulus, Upeneoides, 522
transmontanus, Leptomeryx, *426*, 427 (table), 430
Travisia, 295, *296*
brevis, 298
carnea, 205, 208, *296*, 297 (fig.)
forbesi, 296
forbesii, 296
pupa, 296
tregonboffi, Boreomysis, 579
Trelasus, 618
antennalis, 618
Tremarctos ornatus, 475
triannulata, Evarnella, 223
Harmothoë, 222, 223
Trichobranchus, 321, *329*
glacialis, 209, *329*, 331 (fig.)
glacialis antarcticus, 329
tricinctus, Amphiprion, 189, 182, *195*, 197

Triclads, Fresh-water (Turbellaria) of Alaska, 163
tricolor, Amphiprion, 199
tridens, Boreomysis, 579
trifasciatus, Amphiprion, 193
Trigonias, 423
osborni, 425, 430
Trigonidiidae, 33
trilineata, Mudalia, 361
trilineatus, Autolytus, 250
Hemirhipus, 605
trilobata, Ampharete, 316
trilophus, Paradjidaumo, 409
trinitatis, Strabala, 125 (fig.), 127, *134*
triocellata, Wetmorella, 441, 442, 443, 446 (fig.), *447*
tristiculus, Cephaloon variabilis, 161
Ephamillus variabilis, 161
Trochidae, 449
trochiformis, Turbo, 456
Trochus cumingi, 458
nodulosus, 451, 456
Trophonia arctica, 290, 291
rugosa, 290
tropica, Maldane sarsi, 304
truncatum, Pseudomma, 581
tuberculata, Eteone, 234
Littorina, 451
Melania, 375, 377
Melanoides, 380, 386
Nodilittorina, 449, 450, *451*, 453 (fig.), 454, 455, (fig.), 457 (fig.), 459, 460, 462
Pholoë, 230
Turbo, 451
tuberculatum, Aylacostoma, 375, 377
Aylocostoma (Longiverena), 377
tuberculatus, Litorina, 451
Tectarius, 449, 451, 454
Turbo, 458
tubifex, Eusyllis, 260
Tubularia sp., 327
tunicatus, Amphiprion, 191
Turbellaria, Fresh-water triclads of Alaska, 163
North American triclad, XIII; three new cave planarians, 563
Turbo nodulosus, 451
Trochiformis, 456
tuberculata, 451
tuberculatus, 458
Turcica, 451
turgidus, Megalagus, 430
turriculus, Melanoides, 380, 381
Tyleudacus, 618
Tyloarsus, 618
Tylomelania, *581*
neritiformis, 381
Tylotarsus, 618
Typhobia, 371
typica, Anchialina, 580
typicus, Lophogaster, 577
Typitium, 158
Typosyllis, 261
alternata, 253
collaris, 260, 261
ugandae, Stilobezzia, 62
ugiensis, Conobajulus, 606
undulatum, Oxytrema canaliculatum, 360
undulatus, Sceloporus, 9, 15
unguiculata, Eucopia, 579
ungulare, Cephaloon, 157 (map), 158, 159, 160
unicorne, Bolbelasmus, 97
unimaculata, Sciaena, 194
unimaculatus, Amphiprion, 193
Upeneoides, 506
arge, 518
belaque, 513
caeruleus, 516
dubius, 514
fasciolatus, 514
guttatus, 509
japonicus, 509
kiushiuana, 522
luzonius, 519
moluccensis, 514
parvus, 528
philippinus, 516
sulphureus, 513, 514
sundaicus, 507
tokisensis, 509
tragulus, 522
variegatus, 522
vittatus, 516
Upeneus, 497, 500 (table), 502 (tables), 504 (table), 505 (tables), *506*, 508 (key), 527 (table)
arge, 500 (table), 502 (tables), 503, 504 (table), 505 (tables), 506, 507, 508, *518*
asymmetricus, 500 (table), 501, 502 (tables), 503, 504 (table), 505 (tables), *511*, 512 (table)
bensasi, 500 (table), 502 (tables), 503, 504 (table,) 505 (tables), 506, 508, *509*, 511 (table)
bitaeniatus, 516
bivittatus, 513
luzonius, 500 (table), 502 (tables), 503, 504 (table), 505 (tables), 507, 509, *519*, 521 (table), 523, 526
moluccensis, 500 (table), 502 (tables), 504 (table), 505 (tables), 508, 510, *514*
oligospilus, 500 (table), 502 (tables), 503, 504 (table), 505 (tables), 509, *525*, 526 (table), 527 (table)
parvus, 499, 500 (table), 501, 502 (tables), 503, 504 (table), 505 (tables), 508, *528*
phillipsi, 498, 528, 529
Revision of the goatfish genus, with descriptions of two new species, 497
subvittatus, 498, 514, 522, 524
sulphureus, 500 (table), 501, 502 (tables), 504 (table), 505 (tables), 506, 508, 510, *513*, 514 (table)
sundaicus, 507, 519

taeniopterus, 507
tragula, 500 (table), 502 (tables), 503, 504 (table), 505 (tables), 506, 507, 509, 510, 511, 514, 521 (table), *522*, 524 (table), 526 (table), 527
vittatus, 500 (table), 502 (tables), 504 (table), 505 (tables), 506, 508, 510, *516*, 517 (table), 518 (table), 519, 523
Upenoides moluccensis, 514
Ursidae, *419*
Ursus horribilis, 419, 424

vaginata, Dendrocoelopsis, 178
vaginatus, Dendrocoelopsis, 177
vainafa, Melanoides, 380
vanclevei, Caesaromysis, 577, 581
vandeli, Amyadenium, 177
Dendrocoelopsis, 178
vandykei, Cephaloon, 157 (map), 160
Vannius *oculatus*, 626 (fig.), *628*
rubrovittatus, 629
variabile, Cephaloon, 158
variabilis, Cephaloon, 157 (map), 158, 159, *161*
Melania, 382
variegatus, Upeneoides, 522
Vasaces, 87, *88*, 89 (key), 91 (figs.)
aeneipennis, 87, 88, 89, 91 (fig.), *94*
Beetles of the oedemerid genus, 87
costatus, 87, 89, *90*
elongatus, 89, 91 (fig.), *93*
knulli, 89, *90*, 91 (fig.)
linearis, *89*, 91 (fig.)
maculatus, 89, 91 (fig.), *92*
sordidus, 87, 89, *92*
vega, Ampharete, 208, *315*, 319 (fig.)
Amphicteis, 315
Veloplacenta, 383
maculata, 385
venusta, Lanassa, 209, *326*
Laphaniella, 326
venustula, Nicolea, 209, 319 (fig.), *322*
Terebella, 322
Verena, 376, *377*
verrilli, Autolytus, 246
versicolor, Eukraiohelea, 61, 62
Photuris, 35, 36
verucosa, Pleurocera, 362
veterior, Titanotheriomys, *408*, 430
vetustus, Prosciurus, 430
vilis, Litorina, 456
Nodilittorina, 456
villosa, Brada, 205, 207, *290*
villosum, Siphonostoma, 290
villosus, Pinchaeus, 471
Rhino (choerus), 471
Sternocampsus, 617
Tapirus, 471
violaceus, Pachychilus, 366
virgatus, Melanoxanthus, 609
virginianus, Odocoileus, *423*
virginica, Oxytrema, 364

viridipennis, Chaetura chapmani, 545
viridis, Ceratolophus, 84
Ceratopogon, 84
Hartomyia, 84
Johannseniella, 84
Mystides, 232
Stilobezzia, 59, 60, 61, 78, 84
Stilobezzia (Stilobezzia), 73 (fig.), *84*
vitalis, Rostricephalus, 617
vitalisi, Cardiophorus, 613
vitida, Raphaea, 616
vitta, Phagocata, 165, 167
vittatus, Coracinus, 194
Elater, 603
Hypeneus, 516
Mullus, 506, 516
Upeneoides, 516
Upeneus, 500 (table), 502 (tables), 504 (table), 505 (tables), 506, 508, 510 *516*, 517 (table), 518 (table), 519, 523
Viviparidae, 372, 386
Viviparus, 368, 372
Vuilletus, 618

wagenia, Melanoides, 371
wahlbergi, Paranaitis, 236
wailesi, Proneomysis, 582
walli, Pachychilus, 367
Wanga, 383
wapleri, Eudactylus, 618
Wetmorella, 439, *440*, (key), 442 (table), 443 (table), 445, 446, 447
albofasciata, 441, 442, 443, *446*, 447
ocellata, 440, 442, 443, *444*, 446, 447
philippina, 439, 440, 446, 447
philippina *bifasciata*, 440, *441*, 442 (fig.), 443
philippina philippina, 440, 441 (fig.), 442, 443, 445
Review of the labrid fish genus, with descriptions of new forms from the tropical Indo-Pacific, 439
triocellata, 441, 442, 443, 446 (fig.), *447*
wheeleri, Periscelis, 552, *553*, 556
White, Theodore E.; Preliminary analysis of the fossil vertebrates of the Canyon Ferry Reservoir area, 395
winnertzi, Microperiscelis, 556
Periscelis, 556
winteri, Thiaropsis, 378
wiréni, Glycinde, 205, 207, *274*, 277 (fig.)
Wirth, Willis W.; American biting midges of the heleid genus Monohelea, 135
Biting midges of the heleid genus Stilobezzia in North America, 57

woodburyi, Ambrysus, 3
worms, Polychaete, from Point Barrow, Alaska, with additional records from the North Atlantic and North Pacific, 203

Xanthelater, 618
Xantherater, 618
Xantholamprus, 618
Xanthopenthes, 619
xanthurus, Amphiprion, 190, 192, *198*

Yezodima, 619
convexuni, 619

Zalepia, 611, 619
Zemelanopsis, 357
ziczac, Littorina, 450, 453 (fig.)
Littorina (Melarhaphe), 450, 452
zoea, Gnathophausia, 578
zonalis, Ellipstoma, 363
Pleurocera, 363
zonata, Nereis, 207, 265, 269 (fig.)
Nereis (Nereis), 264, *265*
zonatus, Spekia, 371
Zonurobia, 15
Zorochros, 619
Zorochrus, 619
zostericola, Nicolea, 322